Index of Authors

ABRA, R. M. *see* MICKLEM, K. J. 561–566

AGARWAL, M. K. Identification and properties of renal mineralocorticoid receptors in relation to glucocorticoid binders in rat liver and kidney 567–575

AGRAWAL, H. C., FUJIMOTO, K. & BURTON, R. M. Accumulation and turnover of the classical Folch–Lees proteolipid proteins in developing an adult rat brain 265–269

ALP, P. R., NEWSHOLME, E. A. & ZAMMIT, V. A. Activities of citrate synthase and NAD^+-linked and $NADP^+$-linked isocitrate dehydrogenase in muscle from vertebrates and invertebrates 689–700

ANSELL, G. B. *see* SPANNER, S. 133–140

ASHCROFT, S. J. H., CROSSLEY, J. R. & CROSSLEY, P. C. The effect of *N*-acylglucosamines on the biosynthesis and secretion of insulin in the rat 701–707

ASHTON, I. K. *see* JONES, C. T. 149–158

BAILEY, E. *see* FOSTER, P. C. 49–56

BAKER, R. R., DOWDALL, M. J. & WHITTAKER, V. P. The incorporation of radioactive fatty acids and of radioactive derivatives of glucose into the phospholipids of subsynaptosomal fractions of cerebral cortex 65–75

BALLARD, F. J. & HOPGOOD, M. F. Inactivation of phosphoenolpyruvate carboxykinase (GTP) by liver extracts 717–724

BARLOW, S. D. Deoxycytidine transport and pyrimidine deoxynucleotide metabolism in phytohaemagglutinin-stimulated pig lymphocytes 395–403

BAUER, C. H., HASSELS, B. F. & REUTTER, W. G. Galactose metabolism in regenerating rat liver 141–147

BERRY, C. S., CALDECOURT, M. & HALLINAN, T. Effect on uridine diphosphate glucuronyltransferase activity of depleting and restoring phospholipids to guinea-pig liver microsomal preparations 783–785

BERTHILLIER, G., COLEMAN, R. & WALKER, D. G. The topographical location and unique nature of a glucokinase associated with the Golgi apparatus of rat liver 193–201

BERTHOLD, W. & LIM, L. Nucleo–cytoplasmic relationships of high-molecular-weight ribonucleic acid, including polyadenylated species, in the developing rat brain 529–539

BERTHOLD, W. & LIM, L. The metabolism of high-molecular-weight ribonucleic acid, including polyadenylated species, in the developing rat brain 517–527

BEYER, C. F. *see* KAO, P. C. 471–480

BILLING, B. H. *see* SUMMERFIELD, J. A. 507–516

BOOTH, R. *see* SUDJIC, M. M. 559–560

BOWDEN, L. & LORD, J. M. Similarities in the polypeptide composition of glyoxysomal and endoplasmic-reticulum membranes from castor-bean endosperm 491–499

BOWDEN, L. & LORD, J. M. The cellular origin of glyoxysomal proteins in germinating castor-bean endosperm 501–506

BRADFORD, N. M. *see* MCGIVAN, J. D. 415–421

BRIDGES, B. J. *see* SEVERSON, D. L. 209–223; STANSBIE, D. 225–236

BRIDGES, J. W. *see* MCPHERSON, F. J. 773–780

BURTON, R. M. *see* AGRAWAL, H. C. 265–269

BYUS, C. V. & HERBST, E. J. Decarboxylases for polyamine biosynthesis in *Drosophila melanogaster* larvae 31–33

BYUS, C. V. & HERBST, E. J. The effect of polyamines on the synthesis of ribonucleic acid by *Drosophila melanogaster* larvae 23–29

CALDARERA, C. M. *see* CLO', C. 253–256

CALDECOURT, M. *see* BERRY, C. S. 783–785

CANNON, M. *see* CARTER, C. J. 171–178

CAPANO, M. *see* CROMPTON, M. 735–742

CARAFOLI, E. *see* CROMPTON, M. 735–742

CARR, G. *see* SEASTON, A. 669–676

CARTER, C. J., CANNON, M. & SMITH, K. E. Inhibition of protein synthesis in reticulocyte lysates by trichodermin 171–178

CHAIN, E. *see* DAS, I. 765–772

CLARK, J. B. *see* LAI, J. C. K. 423–432

CLARKE, D. J. & MORRIS, J. G. Partial purification of a dicyclohexylcarbodi-imide-sensitive membrane adenosine triphosphatase complex from the obligately anaerobic bacterium *Clostridium pasteurianum* 725–729

CLAYCOMB, W. C. Poly(adenosine diphosphate ribose) polymerase activity and nicotinamide–adenine dinucleotide in differentiating cardiac muscle 387–393

CLO', C., ORLANDINI, G. C., GUARNIERI, C. & CALDARERA, C. M. Role of oxygen on growth rate and gene activity in cultured chick-embryo heart cells 253–256

COLEMAN, R. *see* BERTHILLIER, G. 193–201

COOKE, B. A. & VAN DER KEMP, A. J. W. C. M. Protein kinase activity in rat testis interstitial tissue. Effect of luteinizing hormone and other factors 371–378

COOPER, R. H. *see* KERBEY, A. L. 327–348

CROMPTON, M., CAPANO, M. & CARAFOLI, E. Respiration-dependent efflux of magnesium ions from heart mitochondria 735–742

CROSSLEY, J. R. *see* ASHCROFT, S. J. H. 701–707

CROSSLEY, P. C. *see* ASHCROFT, S. J. H. 701–707

CULVENOR, J. G. *see* EVANS, W. H. 589–595

DARMON, M. & KLEIN, C. Binding of concanavalin A and its effect on the differentiation of *Dictyostelium discoideum* 743–750

DAS, I. & CHAIN, E. B. Effect of heart work and insulin on the incorporation of [^{14}C]glucose into hexose phosphates, uridine diphosphate glucose and glycogen in the normal and insulin-deficient perfused rat heart under working and non-working conditions 765–772

DAWES, E. A. *see* WHITING, P. H. 659–668

DELVALLE, J. A. & GREENGARD, O. The regulation of phenylalanine hydroxylase in rat tissues *in vivo*. The maintenance of high plasma phenylalanine concentrations in suckling rats: a model for phenylketonuria 613–618

DELVALLE, J. A. *see also* GREENGARD, O. 619–624

DENTON, R. M. *see* KERBEY, A. L. 327–348; SEVERSON, D. L. 209–223; STANSBIE, D. 225–236

DILS, R. *see* SPEAKE, B. K. 359–370

DOWDALL, M. J. *see* BAKER, R. R. 65–75

DOWNIE, J. A. *see* HADDOCK, B. A. 285–294

DWORSKY, P. Membrane attachment of folded chromosomes of *Escherichia coli* 239–241

EDDY, A. A. *see* SEASTON, A. 669–676
ELLORY, J. C. *see* YOUNG, J. D. 43–48
ELORANTA, T. O., MÄENPÄÄ, P. H. & RAINA, A. M. Synthesis of hepatic polyamines, ribonucleic acid and *S*-adenosylmethionine in normal and oestrogen-treated chicks 95–103
EVANS, C. J. *see* SAGGERSON, E. D. 349–357
EVANS, W. H., KREMMER, T. & CULVENOR, J. G. Role of membranes in bile formation. Comparison of the composition of bile and a liver bile-canalicular plasma-membrane subfraction 589–595

FELIG, P. *see* PALAIOLOGOS, G. 709–716
FINEAN, J. B. *see* LOW, M. G. 203–208
FIRMIN, W. *see* JONES, C. T. 159–161
FOSTER, P. C. & BAILEY, E. Changes in the activities of the enzymes of hepatic fatty acid oxidation during development of the rat 49–56
FRITZSON, P. *see* TJERNSHAUGEN, H. 77–80
FUJIMOTO, K. *see* AGRAWAL, H. C. 265–269
FUJIWARA, T. *see* HAYAKAWA, S. 577–587

GANGULY, J. *see* JOSHI, P. S. 249–251
GARLAND, P. B., LITTLEFORD, S. J. & HADDOCK, B. A. A stopped-flow dual-wavelength spectrophotometer suitable for the study of respiratory chains 277–284
GARLAND, P. B. *see also* HADDOCK, B. A. 285–294
GEORGE, R. *see* SUBBA RAO, G. 639–645
GOLDSTEIN, L. & NEWSHOLME, E. A. The formation of alanine from amino acids in diaphragm muscle of the rat 555–558
GRAHAM, J. M. *see* MICKLEM, K. J. 561–566
GREENGARD, O. & DELVALLE, J. A. The regulation of phenylalanine hydroxylase in rat tissues *in vivo*. Substrate- and cortisol-induced elevations in phenylalanine hydroxylase activity 619–624
GREENGARD, O. *see also* DELVALLE, J. A. 613–618
GUARNIERI, C. *see* CLO', C. 253–256
GUSSECK, D. J. *see* WADE, R. S. 245–247
GUTOWSKI, S. J. & ROSENBERG, H. Energy coupling to active transport in anaerobically grown mutants of *Escherichia coli* K12 731–734

HADDOCK, B. A., DOWNIE, J. A. & GARLAND, P. B. Kinetic characterization of the membrane-bound cytochromes of *Escherichia coli* grown under a variety of conditions by using a stopped-flow dual-wavelength spectrophotometer 285–294
HADDOCK, B. A. *see also* GARLAND, P. B. 277–284
HALES, C. N. *see* LUZIO, J. P. 11–21
HALL, R. C. *see* SPANNER, S. 133–140
HALLINAN, T. *see* BERRY, C. S. 783–785
HASSELS, B. F. *see* BAUER, C. H. 141–147
HAYAKAWA, S., KANEMATSU, Y., FUJIWARA, T. & KAKO, H. Microbiological degradation of bile acids. The preparation of some hypothetical metabolites involved in cholic acid degradation 577–587
HEINRICH, R. *see* RAPOPORT, T. A. 449–469
HERBST, E. J. *see* BYUS, C. V. 23–29, 31–33
HOLLANDER, C. S. *see* TAI, H.-H. 257–264
HOPFER, U. *see* MURER, H. 597–604
HOPGOOD, M. F. *see* BALLARD, F. J. 717–724
HUANG, A. H. C. *see* YOULE, R. J. 647–652
HUDSON, J. E. *see* MATHEWS, R. A. 57–64
HUGHES, R. C. *see* MEAGER, A. 113–124

IRVING, R. A., MAINWARING, W. I. P. & SPOONER, P. M. The regulation of haemoglobin synthesis in cultured chick blastoderms by steroids related to 5β-androstane 81–93

JAFFERJI, S. S. & Michell, R. H. Muscarinic cholinergic stimulation of phosphatidylinositol turnover in the longitudinal smooth muscle of guinea-pig ileum 653–657
JOHNSON, T. C. *see* MATHEWS, R. A. 57–64
JOHNSTON, C. I. *see* MORRIS, B. J. 625–637
JONES, C. T. & ASHTON, I. K. Lipid biosynthesis in liver slices of the foetal guinea pig 149–158
JONES, C. T. & FIRMIN, W. Lipid synthesis *in vivo* by tissues of the maternal and foetal guinea-pig 159–161
JOSHI, P. S., MURTHY, S. K. & GANGULY, J. Effect of vitamin A nutritional status on the growth of oestrogen-primed chick oviduct 249–251

KAKO, H. *see* HAYAKAWA, S. 577–587
KANEMATSU, Y. *see* HAYAKAWA, S. 577–587
KAO, P. C., BEYER, C. F. & LANG, C. A. A deoxyribonucleic acid-replication intermediate in the growing mosquito 471–480
KAPPAS, A. *see* MAINES, M. D. 125–131
KERBEY, A. L., RANDLE, P. J., COOPER, R. H., WHITEHOUSE, S., PASK, H. T. & DENTON, R. M. Regulation of pyruvate dehydrogenase in rat heart. Mechanism of regulation of proportions of dephosphorylated and phosphorylated enzyme by oxidation of fatty acids and ketone bodies and of effects of diabetes: role of coenzyme A, acetyl-coenzyme A and reduced and oxidized nicotinamide–adenine dinucleotide 327–348
KINNE, R. *see* MURER, H. 597–604
KLEIN, C. *see* DARMON, M. 743–750
KNUTTON, S. *see* MICKLEM, K. J. 561–566
KREMMER, T. *see* EVANS, W. H. 589–595
KUHN, N. J. & WHITE, A. Evidence for specific transport of uridine diphosphate galactose across the Golgi membrane of rat mammary gland 243–244

LAI, J. C. K. & CLARK, J. B. Preparation and properties of mitochondria derived from synaptosomes 423–432
LANG, C. A. *see* KAO, P. C. 471–480; MILLS, B. J. 481–490
LEHNINGER, A. L. *see* SPENCER, T. L. 405–414
LIM, L. *see* BERTHOLD, W. 517–527, 529–539
LINDAHL, U. *see* ÖGREN, S. 605–611
LITTLEFORD, S. J. *see* GARLAND, P. B. 277–284
LORD, J. M. *see* BOWDEN, L. 491–499, 501–506
LOW, M. G. & FINEAN, J. B. The action of phosphatidylinositol-specific phospholipases C on membranes 203–208
LUZIO, J. P., NEWBY, A. C. & HALES, C. N. A rapid immunological procedure for the isolation of hormonally sensitive rat fat-cell plasma membrane 11–21
LYAKHOVICH, V. V. *see* MISHIN, V. 307–310

MÄENPÄÄ, P. H. *see* ELORANTA, T. O. 95–103

MAINES, M. D. & KAPPAS, A. Studies on the mechanism of induction of haem oxygenase by cobalt and other metal ions 125–131
MAINWARING, W. I. P. *see* IRVING, R. A. 81–93
MARKEY, F. & WILD, D. G. An unusual precursor of 50S ribosomes in a mutant of *Escherichia coli* 311–318
MATHEWS, R. A., JOHNSON, T. C. & HUDSON, J. E. Synthesis and turnover of plasma-membrane proteins and glycoproteins in a neuroblastoma cell line 57–64
MAYER, R. J. *see* SPEAKE, B. K. 359–370
MCDERMOTT, J. R. Studies on the catabolism of N^G-methylarginine, N^G,N^G-dimethylarginine and N^G,N^G-dimethylarginine in the rabbit 179–184
MCGIVAN, J. D., BRADFORD, N. M. & MENDES-MOURÃO, J. The regulation of carbamoyl phosphate synthase activity in rat liver mitochondria 415–421
MCPHERSON, F. J., BRIDGES, J. W. & PARKE, D. V. The effects of benzopyrene and safrole on biphenyl 2-hydroxylase and other drug-metabolizing enzymes 773–780
MEAGER, A., UNGKITCHANUKIT, A. & HUGHES, R. C. Variants of hamster fibroblasts resistant to *Ricinus communis* toxin (ricin) 113–124
MENDES-MOURÃO, J. *see* MCGIVAN, J. D. 415–421
MICHELL, R. H. *see* JAFFERJI, S. S. 653–657
MICKLEM, K. J., ABRA, R. M., KNUTTON, S., GRAHAM, J. M. & PASTERNAK, C. A. The fluidity of normal and virus-transformed cell plasma membrane 561–566
MIDGLEY, J. E. M. Turnover as a control of ribonucleic acid accumulation in bacteria undergoing stepdown 541–552
MIDGLEY, M. *see* WHITING, P. H. 659–668
MILLS, B. J. & LANG, C. A. The biosynthesis of deoxyribonucleic acid during the life-span of the mosquito 481–490
MISHIN, V., POKROVSKY, A. & LYAKHOVICH, V. V. Interactions of some acceptors with superoxide anion radicals formed by the NADPH-specific flavoprotein in rat liver microsomal fractions 307–310
MORRIS, B. J. & JOHNSTON, C. I. Renin substrate in granules from rat kidney cortex 625–637
MORRIS, J. G. *see* CLARKE, D. J. 725–729
MURER, H., HOPFER, U. & KINNE, R. Sodium/proton antiport in brush-border-membrane vesicles isolated from rat small intestine and kidney 597–604
MURTHY, S. K. *see* JOSHI, P. S. 249–251

NEWBY, A. C. *see* LUZIO, J. P. 11–21
NEWSHOLME, E. A. *see* ALP, P. R. 689–700; GOLDSTEIN, L. 555–558; ZAMMIT, V. A. 677–687
NURMINEN, T., TASKINEN, L. & SUOMALAINEN, H. Distribution of membranes, especially of plasma-membrane fragments, during zonal centrifugations of homogenates from glucose-repressed *Saccharomyces cerevisiae* 751–763

ÖGREN, S. & LINDAHL, U. Metabolism of macromolecular heparin in mouse neoplastic mast cells 605–611
ORLANDINI, G. C. *see* CLO', C. 253–256
OWEN, O. E. *see* PATEL, M. S. 319–325

PALAIOLOGOS, G. & FELIG, P. Effects of ketone bodies on amino acid metabolism in isolated rat diaphragm 709–716
PARKE, D. V. *see* MCPHERSON, F. J. 773–780
PASK, H. T. *see* KERBEY, A. L. 327–348; STANSBIE, D. 225–236
PASTERNAK, C. A. *see* MICKLEM, K. J. 561–566; SIM, E. 105–111
PATEL, M. S. & OWEN, O. E. Effect of hyperphenylalaninaemia on lipid synthesis from ketone bodies by rat brain 319–325
PICTON, C. *see* SCOTT, T. A. 35–41
POKROVSKY, A. *see* MISHIN, V. 307–310

RAGAN, C. I. The structure and subunit composition of the particulate NADH–ubiquinone reductase of bovine heart mitochondria 295–305
RAINA, A. M. *see* ELORANTA, T. O. 95–103
RAMASARMA, T. *see* SUBBA RAO, G. 639–645
RANDLE, P. J. *see* KERBEY, A. L. 327–348; SEVERSON, D. L. 209–223; STANSBIE, D. 225–236
RAPOPORT, S. M. *see* RAPOPORT, T. A. 449–469
RAPOPORT, T. A., HEINRICH, R. & RAPOPORT, S. M. The regulatory principles of glycolysis in erythrocytes *in vivo* and *in vitro*. A minimal comprehensive model describing steady states, quasi-steady states and time-dependent processes 449–469
REUTTER, W. G. *see* BAUER, W. G. 141–147
RODNIGHT, R. *see* WILLIAMS, M. 163–170
ROSENBERG, H. *see* GUTOWSKI, S. J. 731–734

SAGGERSON, E. D., SOORANNA, S. R. & EVANS, C. J. Insulin-like actions of nickel and other transition-metal ions in rat fat-cells 349–357
SCHUMM, D. E. *see* YANNARELL, A. 379–385
SCOTT, T. A. & PICTON, C. The conversion of 3-hydroxy-2,4,5-trihydroxymethylpyridine into pyridoxine by *Kloeckera apiculata* 35–41
SEASTON, A., CARR, G. & EDDY, A. A. The concentration of glycine by preparations of the yeast *Saccharomyces carlsbergensis* depleted of adenosine triphosphate. Effects of proton gradients and uncoupling agents 669–676
SEVERSON, D. L., DENTON, R. M., BRIDGES, B. J. & RANDLE, P. J. Exchangeable and total calcium pools in mitochondria of rat epididymal fat-pads and isolated fat-cells. Role in the regulation of pyruvate dehydrogenase activity 209–223
SHACKLETON, C. H. L. *see* SUMMERFIELD, J. A. 507–516
SIM, E. & PASTERNAK, C. A. The metabolism of the phosphonium analogue of choline in cultured cells. A useful nuclear-magnetic-resonance probe for membrane phosphatidylcholine 105–111
SKILLETER, D. N. The influence of adenine nucleotides and oxidizable substrates on triethyltin-mediated chloride uptake by rat liver mitochondria in potassium chloride media 271–276
SLABAS, A. R. & WALKER, D. A. Localization of inhibition by adenosine diphosphate of phosphoglycerate-dependent oxygen evolution in a reconstituted chloroplast system 185–192
SMITH, K. E. *see* CARTER, C. J. 171–178
SOORANNA, S. R. *see* SAGGERSON, E. D. 349–357
SPANNER, S., HALL, R. C. & ANSELL, G. B. Arterio-venous differences of choline and choline lipids across the brain of rat and rabbit 133–140

SPEAKE, B. K., DILS, R. & MAYER, R. J. Regulation of enzyme turnover during tissue differentiation. Interactions of insulin, prolactin and cortisol in controlling the turnover of fatty acid synthetase in rabbit mammary gland in organ culture 359–370
SPELSBERG, T. C. & WILSON, J. T. Growth hormone and drug metabolism. Acute effects on nuclear ribonucleic acid polymerase activity and chromatin 439–448
SPELSBERG, T. C. *see also* WILSON, J. T. 433–438
SPENCER, T. L. & LEHNINGER, A. L. L-Lactate transport in Ehrlich ascites-tumour cells 405–414
SPOONER, P. M. *see* IRVING, R. A. 81–93
STANSBIE, D., DENTON, R. M., BRIDGES, B. J., PASK, H. T. & RANDLE, P. J. Regulation of pyruvate dehydrogenase and pyruvate dehydrogenase phosphate phosphatase activity in rat epididymal fat-pads. Effects of starvation, alloxan-diabetes and high-fat diet 225–236
SUBBA RAO, G., GEORGE, R. & RAMASARMA, T. Stimulation of hepatic biogenesis of sterols on administration of adenosine compounds 639–645
SUDJIC, M. M. & BOOTH, R. Activity of 3-hydroxy-3-methylglutaryl-coenzyme A reductase in brains of adult and 7-day-old rats 559–560
SUMMERFIELD, J. A., BILLING, B. H. & SHACKLETON, C. H. L. Identification of bile acids in the serum and urine in cholestasis. Evidence for 6α-hydroxylation of bile acids in man 507–516
SUOMALAINEN, H. *see* NURMINEN T. 751–763

TAI, C. L. *see* TAI, H.-H. 257–264
TAI, H.-H., TAI, C. L. & HOLLANDER, C. S. Biosynthesis of prostaglandins in rabbit kidney medulla. Properties of prostaglandin synthase 257–264
TASKINEN, L. *see* NURMINEN, T. 751–763
TENG, C. S. & TENG, C. T. Studies on sex-organ development. Oestrogen-receptor translocation in the developing chick Müllerian duct 1–9
TENG, C. T. *see* TENG, C. S. 1–9
TJERNSHAUGEN, H. & FRITZSON, P. Subcellular distribution and activity in different rat tissues of a deoxyinosine-activated nucleotidase 77–80
TUCKER, E. M. *see* YOUNG, J. D. 43–48

UNGKITCHANUKIT, A. *see* MEAGER, A. 113–124

VAN DER KEMP, A. J. W. C. M. *see* COOKE, B. A. 371–378

WADE, R. S. & GUSSECK, D. J. Tyrosine aminotransferase activity in the rabbit placenta. Evidence for decreased inducibility by insulin and cortisol as a function of gestational age 245–247
WALKER, D. A. *see* SLABAS, A. R. 185–192
WALKER, D. G. *see* BERTHILLIER, D. G. 193–201
WEBB, T. E. *see* YANNARELL, A. 379–385
WHITE, A. *see* KUHN, N. J. 243–244
WHITEHOUSE, S. *see* KERBEY, A. L. 327–348
WHITING, P. H., MIDGLEY, M. & DAWES, E. A. The regulation of transport of glucose, gluconate and 2-oxogluconate and of glucose catabolism in *Pseudomonas aeruginosa* 659–668
WHITTAKER, V. P. *see* BAKER, R. R. 65–75
WILD, D. G. *see* MARKEY, F. 311–318
WILLIAMS, M. & RODNIGHT, R. Protein phosphorylation in respiring slices of guinea-pig cerebral cortex. Evidence for a role for noradrenaline and adenosine 3′:5′-cyclic monophosphate in the increased phosphorylation observed on application of electrical pulses 163–170
WILSON, J. T. & SPELSBERG, T. C. Growth hormone and drug metabolism. Acute effects on microsomal mixed-function oxidase activities in rat liver 433–438
WILSON, J. T. *see also* SPELSBERG, T. C. 439–448

YANNARELL, A., SCHUMM, D. E. & WEBB, T. E. Nature of the facilitated messenger ribonucleic acid transport from isolated nuclei 379–385
YOULE, R. J. & HUANG, A. H. C. Development and properties of fructose 1,6-bisphosphatase in the endosperm of castor-bean seedlings 647–652
YOUNG, J. D., ELLORY, J. C. & TUCKER, E. M. Amino acid transport in normal and glutathione-deficient sheep erythrocytes 43–48

ZAMMIT, V. A. & NEWSHOLME, E. A. Effects of calcium ions and adenosine diphosphate on the activities of NAD^+-linked isocitrate dehydrogenase from the radular muscles of the whelk and flight muscles of insects 677–687
ZAMMIT, V. A. *see also* ALP, P. R. 689–700

Index of Subjects

Acetate, biosynthesis of lipids from, and other short-chain fatty acids in foetal guinea-pig liver slices (Jones, C. T. & Ashton, I. K.) 149–158

Acetoacetate, effects of 3-hydroxybutyrate and, on the metabolism of amino acids in isolated rat diaphragm (Palaiologos, G. & Felig, P.) 709–716

Acetoacetate, effects of hyperphenylalaninaemia on the biosynthesis of lipids from 3-hydroxybutyrate and, in developing rat brain (Patel, M. S. & Owen, O. E.) 319–325

Acetylcholine, stimulation by, and other muscarinic cholinergic agents of the turnover of phosphatidylinositol in guinea-pig ileum longitudinal smooth muscle (Jafferji, S. S. & Mitchell, R. H.) 653–657

Acetyl-coenzyme A, roles of reduced and oxidized nicotinamide–adenine dinucleotide, coenzyme A and, in the regulation of the proportions of the dephosphorylated (active) and phosphorylated (inactive) forms of pyruvate dehydrogenase by the oxidation of fatty acids and ketone bodies and the effects of alloxan-diabetes in perfused rat heart (Kerbey, A. L., Randle, P. J., Cooper, R. H., Whitehouse, S., Pask, H. T. & Denton, R. M.) 327–348

N-Acylglucosamines, effect of, on the biosynthesis and secretion of insulin by perifused rat islets of Langerhans (Ashcroft, S. J. H., Crossley, J. R., & Crossley, P. C.) 701–707

Adenine nucleotides, influence of oxidizable substrates and, on the triethyltin-mediated uptake of chloride ions by rat liver mitochondria in media containing potassium chloride (Skilleter, D. N.) 271–276

Adenosine 3′:5′-cyclic monophosphate, effects of luteotrophin and other factors on the concentration of, and on the activity of protein kinase in rat testis interstitial tissue (Cooke, B. A. & van der Kemp, A. J. W. C. M.) 371–378

Adenosine 3′:5′-cyclic monophosphate, evidence for a role for noradrenaline and, in the increased phosphorylation of proteins in respiring guinea-pig cerebral-cortex slices observed on the application of electrical pulses (Williams, M. & Rodnight, R.) 163–170

Adenosine diphosphate, effects of calcium ions and, on the activity of nicotinamide–adenine dinucleotide-linked isocitrate dehydrogenases from whelk radular muscle and insect flight muscle (Zammit, V. A. & Newsholme, E. A.) 677–687

Adenosine diphosphate, localization of the inhibition by, of 3-phosphoglycerate-dependent evolution of oxygen in a reconstituted system of spinach-leaf chloroplasts (Slabas, A. R. & Walker, D. A.) 185–192

Adenosine, stimulation by the administration of compounds related to, of the biosynthesis of sterols in rat liver (Rao, G. S., George, R. & Ramasarma, T.) 639–645

Adenosine triphosphatase complex, membrane, dicyclohexylcarbodi-imide-sensitive, partial purification of, from *Clostridium pasteurianum* A.T.C.C. 6013 (Clarke, D. J. & Morris, J. G.) 725–729

Adenosine triphosphatase, magnesium ion-dependent, identification of, as a marker for fragments of *Saccharomyces cerevisiae* plasma membrane (Nurminen, T., Taskinen, L. & Suomalainen, H.) 751–763

Adenosine triphosphatase, role of, in the coupling of energy to the active transport of proline and glutamine in anaerobically grown mutants of *Escherichia coli* K12 (Gutowski, S. J. & Rosenberg, H.) 731–734

Adenosine triphosphate, effects of proton gradients and uncoupling agents on the uptake of glycine by *Saccharomyces carlsbergensis* N.C.Y.C. 74 depleted of (Seaston, A., Carr, G. & Eddy, A. A.) 669–676

Adenosine triphosphate, minimal comprehensive model describing steady states, quasi-steady states and time-dependent processes involved in the regulation of glycolysis in erythrocytes that takes into account the biosynthesis and consumption of (Rapoport, T. A., Heinrich, R. & Rapoport, S. M.) 449–469

Adenosine tripnosphate, stimulation by the administration of, and related compounds on the biosynthesis of sterols in rat liver (Rao, G. S., George, R. & Ramasarma, T.) 639–645

S-Adenosylmethionine, biosynthesis of polyamines, ribonucleic acid and, in liver of normal and oestrogen-treated chicks (Eloranta, T. O., Mäenpää, P. H. & Raina, A. M.) 95–103

S-Adenosylmethionine decarboxylase, activities of ornithine decarboxylase and, involved in the biosynthesis of polyamines in *Drosophila melanogaster* larvae (Byus, C. V. & Herbst, E. J.) 31–33

Adipocytes, epididymal, rat, isolated, insulin-like actions of nickel and other transition-metal ions in (Saggerson, E. D., Sooranna, S. R. & Evans, C. J.) 349–357

Adipocytes, epididymal, rat, pools of exchangeable and total calcium in mitochondria of, and their role in the regulation of the activity of pyruvate dehydrogenase (Severson, D. L., Denton, R. M., Bridges, B. J. & Randle, P. J.) 209–223

Adipocytes, epididymal, rat, rapid immunological procedure for the isolation of hormonally sensitive plasma membranes from (Luzio, J. P., Newby, A. C. & Hales, C. N.) 11–21

Adipose tissue, epididymal, rat, effects of starvation, alloxan-diabetes and high-fat diet on the regulation of the activities of pyruvate dehydrogenase and pyruvate dehydrogenase phosphate phosphatase in (Stansbie, D., Denton, R. M., Bridges, B. J., Pask, H. T. & Randle, P. J.) 225–236

Adipose tissue, epididymal, rat, pools of exchangeable and total calcium in mitochondria of, and their role in the regulation of the activity of pyruvate dehydrogenase (Severson, D. L., Denton, R. M., Bridges, B. J. & Randle, P. J.) 209–223

Adipose tissue, guinea-pig, maternal and foetal, pathway, for the biosynthesis of lipids in, and liver *in vivo* (Jones, C. T. & Firmin, W.) 159–161

Adrenaline, interactions of, and other acceptors with superoxide ion radicals formed by reduced nicotinamide–adenine dinucleotide phosphate–cytochrome reductase in rat liver microsomal fractions (Mishin, V., Pokrovsky, A. & Lyakhovich, V. V.) 307–310

Aedes egypti, *see* Mosquito

Alanine, formation of, from other amino acids in rat diaphragm muscle (Goldstein, L. & Newsholme, E. A.) 555–558

Aldosterone receptors, kidney, rat identification and properties of, in relation to rat liver and kidney glucocorticoid receptors (Agarwal, M. K.) 567–575
Alloxan-diabetes, *see* Diabetes, alloxan-
Amino acids, effects of ketone bodies on the metabolism of, in isolated rat diaphragm (Palaiologos, G. & Felig, P.) 709–716
Amino acids, formation of alanine from, in rat diaphragm muscle (Goldstein, L. & Newsholme, E. A.) 555–558
Amino acids, transport of, in normal and glutathione-deficient sheep erythrocytes (Young, J. D., Ellory, J. C. & Tucker, E. M.) 43–48
5β-Androstane, regulation by steroids related to, of the biosynthesis of haemoglobin in cultured chick-embryo blastoderms (Irving, R. A., Mainwaring, W. I. P. & Spooner, P. M.) 81–93
Angiotensin I, formation of, from renin substrate in rat kidney-cortex granules (Morris, B. J. & Johnston, C. I.) 625–637
Arachidonate, properties of the rabbit kidney-medulla prostaglandin synthase system catalysing the biosynthesis of prostaglandins from (Tai, H. -H., Tai, C. L. & Hollander, C. S.) 257–264
Arthrobacter simplex, synthesis of some hypothetical intermediates involved in the degradation of cholic acid by (Hayakawa, S., Kanematsu, Y., Fujiwara, T. & Kako, H.) 577–587

Bean, castor (*Ricinus communis*), cellular origin of glyoxysomal proteins in endosperm of, during germination (Bowden, L. & Lord, J. M.) 501–506
Bean, castor (*Ricinus communis*), development and properties of fructose 1,6-diphosphatase in the endosperm of seedlings of (Youle, R. J. & Huang, A. H. C.) 647–652
Bean, castor (*Ricinus communis*), similarities in the composition of polypeptides of glyoxysomal and endoplasmic-reticulum membranes from endosperm of (Bowden, L. & Lord, J. M.) 491–499
Bean, castor (*Ricinus communis*), variants of cultured baby-hamster kidney cells resistant to the toxin (ricin) from (Meager, A., Ungkitchanukit, A. & Hughes, R. C.) 113–124
Benzo[3,4]pyrene, effects of safrole and, on the activities of rat, mouse and hamster liver microsomal biphenyl 2-hydroxylase and other drug-metabolizing enzymes (McPherson, F. J., Bridges, J. W. & Parke, D. V.) 773–780
Bile acids, identification of, in serum and urine in man during cholestasis (Summerfield, J. A., Billing, B. H. & Shackleton, C. H. L.) 507–516
Bile acids, synthesis of some hypothetical intermediates involved in the degradation of, by *Arthrobacter simplex* (Hayakawa, S., Kanematsu, Y., Fujiwara, T. & Kako, H.) 577–587
Bile, role of rat and mouse liver bile-canalicular plasma membranes in the formation of (Evans, W. H., Kremmer, T. & Culvenor, J. G.) 589–595
Biphenyl 2-hydroxylase, microsomal, liver, rat, mouse and hamster, effects of benzo[3,4]pyrene and safrole on the activities of, and other drug-metabolizing enzymes (McPherson, F. J., Bridges, J. W. & Parke, D. V.) 773–780
Blastoderms, chick-embryo, cultured, regulation by steroids related to 5β-androstane of the biosynthesis of haemoglobin in (Irving, R. A., Mainwaring, W. I. P. & Spooner, P. M.) 81–93
Brain cortex, guinea-pig, evidence for a role for noradrenaline and adenosine 3′:5′-cyclic monophosphate in the increased phosphorylation of proteins in respiring slices of, observed on the application of electrical pulses (Williams, M. & Rodnight, R.) 163–170
Brain cortex, guinea-pig, incorporation of fatty acids and of derivatives of glucose into the phospholipids of subsynaptosomal fractions of (Baker, R. R., Dowdall, M. J. & Whittaker, V. P.) 65–75
Brain, rat and rabbit, arteriovenous differences in the plasma concentrations of choline, phosphatidylcholine and lysophosphatidylcholine across (Spanner, S., Hall, R. C. & Ansell, G. B.) 133–140
Brain, rat, developing and adult, accumulation and turnover of the classical Folch–Lees proteolipid proteins in (Agrawal, H. C., Fujimoto, K. & Burton, R. M.) 265–269
Brain, rat, developing and adult, activity of 3-hydroxy-3-methylglutaryl-coenzyme A reductase in (Sudjic, M. M. & Booth, R.) 559–560
Brain, rat, developing, effect of hyperphenylalaninaemia on the biosynthesis of lipids from ketone bodies in (Patel, M. S. & Owen, O. E.) 319–325
Brain, rat, developing, metabolism of high-molecular-weight species of ribonucleic acid in (Berthold, W. & Lim, L.) 517–527
Brain, rat, developing, relationships between nuclei and cytoplasm in the metabolism of high-molecular-weight species of ribonucleic acid in (Berthold, W. & Lim, L.) 529–539
Brain, rat, preparation and properties of mitochondria derived from synaptosomes from (Lai, J. C. K. & Clark, J. B.) 423–432
Brush borders, small-intestinal and kidney, rat, antiport of sodium ions and protons in membrane vesicles isolated from (Murer, H., Hopfer, U. & Kinne, R.) 597–604
Buccinum undatum, *see* Whelk

Calcium, exchangeable and total, pools of, in mitochondria of rat epididymal fat-pads and isolated fat-cells and their role in the regulation of the activity of pyruvate dehydrogenase (Severson, D. L., Denton, R. M., Bridges, B. J. & Randle, P. J.) 209–223
Calcium ions, effects of adenosine diphosphate and, on the activity of nicotinamide–adenine dinucleotide-linked isocitrate dehydrogenases from whelk radular muscle and insect flight muscle (Zammit, V. A. & Newsholme, E. A.) 677–687
Carbamoylcholine, stimulation by, and other muscarinic cholinergic agents of the turnover of phosphatidylinositol in guinea-pig ileum longitudinal smooth muscle (Jafferji, S. S. & Michell, R. H.) 653–657
Carbamoyl phosphate synthase, regulation of the activity of, in rat liver mitochondria (McGivan, J. D., Bradford, N. M. & Mendes-Mourão, J.) 415–421
Castor bean, *see* Bean, castor
Cell differentiation, binding of concanavalin A and its effect on, of *Dictyostelium discoideum* (Darmon, M. & Klein, C.) 743–750

Cells, ascites-tumour, Ehrlich, transport of L-lactate in (Spencer, T. L. & Lehninger, A. L.) 405–414
Cells, heart, chick-embryo, cultured, role of oxygen in the regulation of growth rate and gene activity, in (Clo', C., Orlandini, G. C., Guarnieri, C. & Caldarera, C. M.) 253–256
Cells, kidney, baby-hamster, cultured, variants of, resistant to castor-bean toxin (ricin) (Meager, A., Ungkitchanukit, A. & Hughes, R. C.) 113–124
Cells, kidney, baby-hamster, normal and polyoma-virus-transformed, fluidity of the plasma membranes from (Micklem, K. J., Abra, R. M., Knutton, S., Graham, J. M. & Pasternak, C. A.) 561–566
Cells, mammalian, cultured, metabolism of the phosphonium analogue of choline in, and its usefulness as a nuclear-magnetic-resonance probe for phosphatidylcholine in membranes (Sim, E. & Pasternak, C. A.) 105–111
Cells, mast, neoplastic, mouse, metabolism of heparin in (Ögren, S. & Lindahl, U.) 605–611
Cells, neuroblastoma N2a, cultured, biosynthesis and turnover of plasma-membrane proteins and glycoproteins in (Mathews, R. A., Johnson, T. C. & Hudson, J. E.) 57–64
Cerebral cortex, guinea-pig, evidence for a role for noradrenaline and adenosine 3′:5′-cyclic monophosphate in the increased phosphorylation of proteins in respiring slices of, observed on the application of electrical pulses (Williams, M. & Rodnight, R.) 163–170
Cerebral cortex, guinea-pig, incorporation of fatty acids and of derivatives of glucose into the phospholipids of subsynaptosomal fractions of (Baker, R. R., Dowdall, M. J. & Whittaker, V. P.) 65–75
Chick, effect of vitamin A nutritional status on the oestrogen-primed growth of the oviduct of (Joshi, P. S., Murthy, S. K. & Ganguly, J.) 249–251
Chick embryo, regulation by steroids related to 5β-androstane of the biosynthesis of haemoglobin in cultured blastoderms from (Irving, R. A., Mainwaring, W. I. P. & Spooner, P. M.) 81–93
Chick embryo, role of oxygen in the regulation of growth rate and gene activity in cultured heart cells from (Clo', C., Orlandini, G. C., Guarnieri, C. & Caldarera, C. M.) 253–256
Chick embryo, translocation of oestrogen-binding protein from the cytoplasm into the nuclei of developing Müllerian duct of, after the administration of oestradiol-17β (Teng, C. S. & Teng, C. T.) 1–9
Chick, normal and oestrogen-treated, biosynthesis of polyamines, ribonucleic acid and *S*-adenosylmethionine in liver of (Eloranta, T. O., Mäenpää, P. H. & Raina, A. M.) 95–103
Chloride ions, influence of adenine nucleotides and oxidizable substrates on the triethyltin-mediated uptake of, by rat liver mitochondria in media containing potassium chloride (Skilleter, D. N.) 271–276
Chloroplasts, spinach-leaf, localization of the inhibition by adenosine diphosphate of 3-phosphoglycerate-dependent evolution of oxygen in a reconstituted system of (Slabas, A. R. & Walker, D. A.) 185–192
Cholestasis, identification of bile acids in serum and urine in man during (Summerfield, J. A., Billing, B. H. & Shackleton, C. H. L.) 507–516
Cholesterol, activity of 3-hydroxy-3-methylglutaryl-coenzyme A reductase in developing and adult rat brain and its relevance to the biosynthesis of (Sudjic, M. M. & Booth, R.) 559–560
Cholesterol, content of phospholipids and, in plasma membranes from normal and polyoma-virus-transformed baby-hamster kidney cells (Micklem, K. J., Abra R. M., Knutton, S., Graham, J. M. & Pasternak, C. A.) 561–566
Cholic acid, synthesis of some hypothetical intermediates involved in the degradation of, by *Arthrobacter simplex* (Hayakawa, S., Kanematsu, Y., Fujiwara, T. & Kako, H.) 577–587
Choline, arteriovenous differences in the plasma concentrations of phosphatidylcholine, lysophosphatidylcholine and, across rat and rabbit brain (Spanner, S., Hall, R. C. & Ansell, G. B.) 133–140
Choline, metabolism of the phosphonium analogue of, in various cultured mammalian cells and its usefulness as a nuclear-magnetic-resonance probe for phosphatidylcholine in membranes (Sim, E. & Pasternak, C. A.) 105–111
Cholinergic agents, muscarinic, stimulation by, of the turnover of phosphatidylinositol in guinea-pig ileum longitudinal smooth muscle (Jafferji, S. S. & Michell, R. H.) 653–657
Chromatin, nuclear, liver, rat, acute effects of the administration of growth hormone on the activity of rat liver ribonucleic acid polymerase and on the template capacity of (Spelsberg, T. C. & Wilson, J. T.) 439–448
Chromosomes, folded, *Escherichia coli* D10, attachment of, to membranes (Dworksy, P.) 239–241
Citrate synthase, muscle, vertebrate and invertebrate, activities of, and nicotinamide–adenine dinucleotide-linked and nicotinamide–adenine dinucleotide phosphate-linked isocitrate dehydrogenases (Alp, P. R., Newsholme, E. A. & Zammit, V. A.) 689–700
Citric acid cycle, *see* Tricarboxylic acid cycle
Clostridium pasteurianum A.T.C.C. 6013, partial purification of a dicyclohexylcarbodi-imide-sensitive membrane adenosine triphosphatase complex from (Clarke, D. J. & Morris, J. G.) 725–729
Cobalt ions, studies on the mechanism of the induction by, and other metal ions of the activity of rat liver microsomal haem oxygenase (Maines, M. D. & Kappas, A.) 125–131
Coenzyme A, roles of reduced and oxidized nicotinamide–adenine dinucleotide, acetyl-coenzyme A and, in the regulation of the proportions of the dephosphorylated (active) and phosphorylated (inactive) forms of pyruvate dehydrogenase by the oxidation of fatty acids and ketone bodies and the effects of alloxan-diabetes in perfused rat heart (Kerbey, A. L., Randle, P. J., Cooper, R. H., Whitehouse, S., Pask, H. T. & Denton, R. M.) 327–348
Concanavalin A, binding of, and its effects on the differentiation of *Dictyostelium discoideum* (Darmon, M. & Klein, C.) 743–750
Cortisol, evidence for decreased inducibility by, of the activity of tyrosine aminotransferase in rabbit placenta as a function of gestational age (Wade, R. S. & Gusseck, D. J.) 245–247

Cortisol, interactions of insulin, prolactin and, in controlling the turnover of fatty acid synthetase in rabbit mammary gland in organ culture (Speake, B. K., Dils, R. & Mayer, R. J.) 359–370
Cortisol, roles of phenylalanine and, in regulating the activity of rat liver phenylalanine hydroxylase (Greengard, O. & DelValle, J. A.) 619–624
Cyclic adenosine 3′:5′-monophosphate, *see* Adenosine 3′:5′-cyclic monophosphate
Cyclic nucleotide phosphodiesterase, binding of concanavalin A and its effect on the production of, and cell differentiation in *Dictyostelium discoideum* (Darmon, M. & Klein, C.) 743–750
Cysteine, transport of, and other amino acids in normal and glutathione-deficient sheep erythrocytes (Young, J. D., Ellory, J. C. & Tucker, E. M.) 43–48
Cytochrome *c*, *Saccharomyces cerevisiae*, stopped-flow dual-wavelength spectrophotometer suitable for the study of the oxidation of, and other respiratory-chain systems (Garland, P. B., Littleford, S. J. & Haddock, B. A.) 277–284
Cytochrome *P*-450, microsomal, liver, rat, acute effects of the administration of growth hormone on the concentration of, and on the activities of mixed-function oxidases (Wilson, J. T. & Spelsberg, T. C.) 433–438
Cytochrome *P*-450, microsomal, liver, rat, depletion of, by cobalt and other metal ions (Maines, M. D. & Kappas, A.) 125–131
Cytochrome reductase, reduced nicotinamide–adenine dinucleotide phosphate-specific, microsomal, liver, rat, interactions of some acceptors with superoxide ion radicals formed by (Mishin, V., Pokrovsky, A. & Lyakhovich, V. V.) 307–310
Cytochromes, membrane-bound, *Escherichia coli*, use of a stopped-flow dual-wavelength spectrophotometer for the kinetic characterization of, of organisms grown under a variety of conditions (Haddock, B. A., Downie, J. A. & Garland, P. B.) 285–294
Cytoplasm, Müllerian-duct, chick-embryo, developing, translocation of oestrogen-binding protein from, into the nuclei after the administration of oestradiol-17β (Teng, C. S. & Teng, C. T.) 1–9
Cytosol, brain, rat, relationships between, and nuclei in the metabolism of high-molecular-weight species of ribonucleic acid during postnatal development (Berthold W. & Lim, L.) 529–539
Cytosol, liver, rat, properties of proteins from, involved in the facilitated transport of messenger ribonucleic acid from rat liver nuclei (Yannarell, A., Schumm, D. E. & Webb, T. E.) 379–385

Deoxycytidine monophosphate, transport of deoxycytidine and the metabolism of thymidine monophosphate and, in phytohaemagglutinin-stimulated pig lymphocytes (Barlow, S. D.) 395–403
Deoxycytidine, transport of, and the metabolism of pyrimidine deoxyribonucleotides in phytohaemagglutinin-stimulated pig lymphocytes (Barlow, S. D.) 395–403
Deoxyribonucleic acid, activity of poly(adenosine diphosphate ribose) polymerase and the concentration of oxidized nicotinamide–adenine dinucleotide and their relevance to the biosynthesis of, in differentiating rat heart muscle (Claycomb, W. C.) 387–393
Deoxyribonucleic acid, biosynthesis of, during the lifespan of the mosquito (Mills, B. J. & Lang, C. A.) 481–490
Deoxyribonucleic acid, characterization of a replication intermediate in the biosynthesis of, in the mosquito during larval and post-larval development (Kao, P. C., Beyer, C. F. & Lang, C. A.) 417–480
Deoxyribonucleic acid, chromatin, nuclear, rat, acute effects of the administration of growth hormone on the activity of rat liver ribonucleic acid polymerase and on the template capacity of (Spelsberg, T. C. & Wilson, J. T.) 439–448
Deoxyribonucleic acid, folded, *Escherichia coli* D10, attachment of, to membranes (Dworksy, P.) 239–241
Development, foetal, pathways for the biosynthesis of lipids in guinea-pig liver and adipose tissue *in vivo* (Jones, C. T. & Firmin, W.) 159–161
Development, foetal, pathways for the biosynthesis of lipids in guinea-pig liver slices taken during (Jones, C. T. & Ashton, I. K.) 149–158
Development, larval and post-larval, biosynthesis of deoxyribonucleic acid in the mosquito during (Mills, B. J. & Lang, C. A.) 481–490
Development, larval and post-larval, characterization of a replication intermediate in the biosynthesis of deoxyribonucleic acid in the mosquito during (Kao, P. C., Beyer, C. F. & Lang, C. A.) 471–480
Development, neonatal and postnatal, changes in the activities of enzymes involved in the oxidation of fatty acids in rat liver during (Foster, P. C. & Bailey, E.) 49–56
Development, postnatal, accumulation and turnover of the classical Folch–Lees proteolipid proteins in rat brain during (Agrawal, H. C., Fujimoto, K. & Burton, R. M.) 265–269
Development, postnatal, activity of 3-hydroxy-3-methylglutaryl-coenzyme A reductase in rat brain during (Sudjic, M. M. & Booth, R.) 559–560
Development, postnatal, activity of poly(adenosine diphosphate ribose) polymerase and the concentration of oxidized nicotinamide–adenine dinucleotide in rat heart muscle during (Claycomb, W. C.) 387–393
Development, postnatal, effects of hyperphenylalaninaemia on the biosynthesis of lipids from ketone bodies in rat brain during (Patel, M. S. & Owen, O. E.) 319–325
Development, postnatal, metabolism of high-molecular-weight species of ribonucleic acid in rat brain during (Berthold, W. & Lim, L.) 517–527
Development, postnatal, regulation of the activity of liver and kidney phenylalanine hydroxylase and the maintenance of high concentrations of phenylalanine in plasma during, in the rat (DelValle, J. A. & Greengard, O.) 613–618
Development, postnatal, relationships between nuclei and cytoplasm in the metabolism of high-molecular-weight species of ribonucleic acid in rat brain during (Berthold, W. & Lim, L.) 529–539
Diabetes, alloxan-, effects of starvation, high-fat diet and, on the regulation of the activities of pyruvate dehydrogenase and pyruvate dehydrogenase phosphate phosphatase in rat epididymal fat-pads (Stansbie, D., Denton, R. M., Bridges, B. J., Pask, H. T. & Randle, P. J.) 225–236

Diabetes, alloxan-, roles of coenzyme A, acetyl-coenzyme A and reduced and oxidized nicotinamide–adenine dinucleotide in the regulation of the proportions of the dephosphorylated (active) and phosphorylated (inactive) forms of pyruvate dehydrogenase by the oxidation of fatty acids and ketone bodies and the effects of, in perfused rat heart (Kerbey, A. L., Randle, P. J., Cooper, R. H., Whitehouse, S., Pask, H. T. & Denton, R. M.) 327–348

Diaphragm muscle, rat, formation of alanine from other amino acids in (Goldstein, L. & Newsholme, E. A.) 555–558

Diaphragm, rat, isolated, effects of ketone bodies on the metabolism of amino acids in (Palaiologos, G. & Felig, P.) 709–716

Dictyostelium discoideum, binding of concanavalin A and its effect on the differentiation of (Darmon, M. & Klein, C.) 743–750

Diet, high-fat, effects of alloxan-diabetes, starvation and, on the regulation of the activities of pyruvate dehydrogenase and pyruvate dehydrogenase phosphate phosphatase in rat epididymal fat-pads (Stansbie, D., Denton, R. M., Bridges, B. J., Pask, H. T. & Randle, P. J.) 225–236

Diet, regulation of the activity of rat liver mitochondrial carbamoyl phosphate synthase by the protein content of (McGivan, J. D., Bradford, N. M. & Mendes-Mourão, J.) 415–421

Differentiation, cell, binding of concanavalin A and its effect on, of *Dictyostelium discoideum* (Darmon, M. & Klein, C.) 743–750

N^G,N'^G-Dimethylarginine, catabolism of N^G-methylarginine, N^G,N^G-dimethylarginine and, in the rabbit (McDermott, J. R.) 179–184

Disulphides, effects of, on the inactivation of phosphoenolpyruvate carboxykinase (guanosine triphosphate) by rat liver extracts (Ballard, F. J. & Hopgood, M. F.) 717–724

Drosophila melanogaster larvae, activities of ornithine decarboxylase and *S*-adenosylmethionine decarboxylase involved in the biosynthesis of polyamines in (Byus, C. V. & Herbst, E. J.) 31–23

Drosophila melanogaster larvae, effects of polyamines on the biosynthesis of ribonucleic acid in (Byus, C. V. & Herbst, E. J.) 23–29

Drug-metabolizing enzymes, microsomal, liver, rat, mouse and hamster, effects of benzo[3,4]pyrene and safrole on the activities of (McPherson, F. J., Bridges, J. W. & Parke, D. V.) 773–780

Drugs, acute effects of the administration of growth hormone on the activities of rat liver microsomal mixed-function oxidases involved in the metabolism of (Wilson, J. T. & Spelsberg, T. C.) 433–438

Ehrlich ascites-tumour cells, transport of L-lactate in (Spencer, T. L. & Lehninger, A. L.) 405–414

Electrical impulses, evidence for a role for noradrenaline and adenosine 3′:5′cyclic monophosphate in the increased phosphorylation of proteins in respiring guinea-pig cerebral-cortex slices observed on the application of (Williams, M. & Rodnight, R.) 163–170

Endoplasmic reticulum, *see* Reticulum, endoplasmic

Endosperm, castor-bean, cellular origin of glyoxysomal proteins of, during germination (Bowden, L. & Lord, J. M.) 501–506

Endosperm, castor-bean-seedling, development and properties of fructose 1,6-diphosphatase in (Youle, R. J. & Huang, A.H.C.) 647–652

Endosperm, castor-bean, similarities in the composition of polypeptides of glyoxysomal and endoplasmic-reticulum membranes from (Bowden, L. & Lord, J. M.) 491–499

Energy, coupling of, to the active transport of proline and glutamine in anaerobically grown mutants of *Escherichia coli* K11 (Gutowski, S. J. & Rosenberg, H.) 731–734

Energy, dependence on respiration linked to, of the efflux of magnesium ions from rat heart mitochondria (Crompton, M., Capano, M. & Carafoli, E.) 735–742

Epididymis, rat, effects of starvation, alloxan-diabetes and high-fat diet on the regulation of the activities of pyruvate dehydrogenase and pyruvate dehydrogenase phosphatase in (Stansbie, D., Denton, R. M., Bridges, B. J., Pask, H. T. & Randle, P. J.) 225–236

Epididymis, rat, insulin-like actions of nickel and other transition-metal ions in fat-cells isolated from (Saggerson, E. D., Sooranna, S. R. & Evans, C. J.) 349–357

Epididymis, rat, pools of exchangeable and total calcium in mitochondria of fat-pads and of fat-cells isolated from, and their role in the regulation of the activity of pyruvate dehydrogenase (Severson, D. L., Denton, R. M., Bridges, B. J. & Randle, P. J.) 209–223

Epididymis, rat, rapid immunological procedure for the isolation of hormonally sensitive fat-cell plasma membranes from (Luzio, J. P., Newby, A. C. & Hales, C. N.) 11–21

Epinephrine, *see* Adrenaline

Erythrocytes, minimal comprehensive model describing steady states, quasi-steady states and time-dependent processes involved in the regulation of glycolysis in (Rapoport, T. A., Heinrich, R. & Rapoport, S. M.) 449–469

Erythrocytes, ox, sheep and cat, action of *Staphylococcus aureus* and pig lymphocyte phosphatidylinositol-specific phospholipases C on (Low, M. G. & Finean, J. B.) 203–208

Erythrocytes, sheep, normal and glutathione-deficient, transport of amino acids in (Young, J. D., Ellory, J. C. & Tucker, E. M.) 43–48

Escherichia coli, accumulation of 47S ribonucleoprotein particles as an unusual precursor of 50S ribosomes in a mutant strain of (Markey, F. & Wild, D. G.) 311–318

Escherichia coli D10, attachment of folded chromosomes to membranes of (Dworsky, P.) 239–241

Escherichia coli K12, coupling of energy to the active transport of proline and glutamine in anaerobically grown mutants of (Gutowski, S. J. & Rosenberg, H.) 731–734

Escherichia coli, turnover as a control of the accumulation of ribonucleic acids in, undergoing stepdown (Midgley, J. E. M.) 541–552

Escherichia coli, use of a stopped-flow dual-wavelength spectrophotometer for the kinetic characterization of the membrane-bound cytochromes of, grown under a variety of conditions (Haddock, B. A., Downie, J. A. & Garland, P. B.) 285–294

Estradiol, *see* Oestradiol

Estrogens, *see* Oestrogens

Fat-cells, epididymal, rat, isolated, insulin-like actions of nickel and other transition-metal ions in (Saggerson, E. D., Sooranna, S. R. & Evans, C. J.) 349–357
Fat-cells, epididymal, rat, pools of exchangeable and total calcium in mitochondria of, and their role in the regulation of the activity of pyruvate dehydrogenase (Severson, D. L., Denton, R. M., Bridges, B. J. & Randle, P. J.) 209–223
Fat-cells, epididymal, rat, rapid immunological procedure for the isolation of hormonally sensitive plasma membranes from (Luzio, J. P., Newby, A. C. & Hales, C. N.) 11–21
Fatty acid synthetase, interactions of insulin, prolactin and cortisol in controlling the turnover of, in rabbit mammary gland in organ culture (Speake, B. K., Dils, R. & Mayer, R. J.) 359–370
Fatty acids, changes in the activities of enzymes involved in the oxidation of, in rat liver during development (Foster, P. C. & Bailey, E.) 49–56
Fatty acids, incorporation of, and of derivatives of glucose into the phospholipids of subsynaptosomal fractions of guinea-pig cerebral cortex (Baker, R. R., Dowdall, M. J. & Whittaker, V. P.) 65–75
Fatty acids, roles of coenzyme A, acetyl-coenzyme A and reduced and oxidized nicotinamide–adenine dinucleotide in the regulation of the proportions of the dephosphorylated (active) and phosphorylated (inactive) forms of pyruvate dehydrogenase by the oxidation of ketone bodies and, and the effects of alloxan-diabetes in perfused rat heart (Kerbey, A. L., Randle, P. J., Cooper, R. H., Whitehouse, S., Pask, H. T. & Denton, R. M.) 327–348
Fatty acids, short-chain, biosynthesis of lipids from, in foetal guinea-pig liver *in vivo* (Jones, C. T. & Firmin, W.) 159–161
Fatty acids, short-chain, biosynthesis of lipids from, in foetal guinea-pig liver slices (Jones, C. T. & Ashton, I. K.) 149–158
Fatty acids, stimulation by nickel and other transition-metal ions of the biosynthesis of glycerides and, in isolated rat epididymal fat-cells (Saggerson, E. D., Sooranna, S. R. & Evans, C. J.) 349–357
Flight muscle, *see* Muscle, flight
Fructose 1,6-diphosphatase, endosperm, castor-bean-seedling, development and properties of (Youle, R. J. & Huang, A. H. C.) 647–652
Fruitfly (*Drosophila melanogaster*) larvae, activities of ornithine decarboxylase and *S*-adenosylmethionine decarboxylase involved in the biosynthesis of polyamines in (Byus, C. V. & Herbst, E. J.) 31–33
Fruitfly (*Drosophila melanogaster*) larvae, effects of polyamines on the biosynthesis of ribonucleic acid in (Byus, C. V. & Herbst, E. J.) 23–29

Galactose, metabolism of, in regenerating rat liver (Bauer, C. H., Hassels, B. F. & Reutter, W. G.) 141–147
Genes, role of oxygen in the regulation of growth rate and the activity of, in cultured chick-embryo heart cells (Clo', C., Orlandini, G. C., Guarnieri, C. & Caldarera, C. M.) 253–256
Germination, cellular origin of glyoxysomal proteins in castor-bean endosperm during (Bowden, L. & Lord, J. M.) 501–506
Germination, development and properties of castor-bean-seedling endosperm fructose 1,6-diphosphatase during (Youle, R. J. & Huang, A. H. C.) 647–652
Glucocorticoid receptors, liver and kidney, identification and properties of rat kidney mineralocorticoid receptors in relation to (Agarwal, M. K.) 567–575
Glucokinase, Golgi-apparatus, liver, rat, topographical location and unique nature of (Berthillier, G., Coleman, R. & Walker, D. G.) 193–201
Gluconate, regulation of the transport of glucose, 2-oxogluconate and, and of the catabolism of glucose in *Pseudomonas aeruginosa* (Whiting, P. H., Midgley, M. & Dawes, E. A.) 659–668
Gluconeogenesis, development and properties of castor-bean seedling endosperm fructose 1,6-diphosphatase and their relevance to (Youle, R. J. & Huang, A. H. C.) 647–652
Glucosamine, effect of *N*-acyl derivatives of, on the biosynthesis and secretion of insulin by perifused rat islets of Langerhans (Ashcroft, S. J. H., Crossley, J. R. & Crossley, P. C.) 701–707
Glucose, biosynthesis of lipids from, in foetal guinea-pig adipose tissue *in vivo* (Jones, C. T. & Firmin, W.) 159–161
Glucose, distribution of membranes, especially of fragments of plasma membrane, during zonal centrifugation (Nurminen, T., Taskinen, L. & Suomalainen, H.) 751–763
Glucose, effects of heart work and insulin on the incorporation of, into hexose phosphates, uridine diphosphate glucose and glycogen in the normal and insulin-deficient perfused rat heart under working and non-working conditions (Das, I. & Chain, E.) 765–772
Glucose, incorporation of fatty acids and of derivatives of, into the phospholipids of subsynaptosomal fractions of guinea-pig cerebral cortex (Baker, R. R., Dowdall, M. J. & Whittaker, V. P.) 65–75
Glucose, regulation of the transport of glucose, gluconate and 2-oxogluconate and of the catabolism of, in *Pseudomonas aeruginosa* (Whiting, P. H., Midgley, M. & Dawes, E. A.) 659–668
Glucose, topographical location and unique nature of a glucokinase associated with rat liver Golgi apparatus and its relevance to the biosynthesis of uridine diphosphate glucose from (Berthillier, G., Coleman, R. & Walker, D. G.) 193–201
β-Glucuronidase, role of, in the metabolism of heparin by mouse neoplastic mast cells (Ögren, S. & Lindahl, U.) 605–611
Glucuronosyltransferase, role of, in the metabolism of heparin by mouse neoplastic mast cells (Ögren, S. & Lindahl, U.) 605–611
Glutamine, coupling of energy to the active transport of proline and, in anaerobically grown mutants of *Escherichia coli* K12 (Gutowski, S. J. & Rosenberg, H.) 731–734
Glutathione, reduced, stimulation by, of the activity of the rabbit kidney-medulla prostaglandin synthase system (Tai, H. -H., Tai, C. L. & Hollander, C. S.) 257–264

Glutathione, reduced, transport of amino acids in normal sheep erythrocytes and in sheep erythrocytes deficient in (Young, J. D., Ellory, J. C. & Tucker, E. M.) 43–48
Glycerides, stimulation by nickel and other transition-metal ions of the biosynthesis of fatty acids and, in isolated rat epididymal fat-cells (Saggerson, E. D., Sooranna, S. R. & Evans, C. J.) 349–357
Glycine, effects of proton gradients and uncoupling agents on the uptake of, by *Saccharomyces carlsbergensis* N.C.Y.C. 74 depleted of adenosine triphosphate (Seaston, A., Carr, G. & Eddy, A. A.) 669–676
Glycogen, effects of heart work and insulin on the incorporation of glucose into hexose phosphates, uridine diphosphate glucose and, in the normal and insulin-deficient perfused rat heart under working and non-working conditions (Das, I. & Chain, E.) 765–772
Glycolysis, minimal comprehensive model describing steady states, quasi-steady states and time-dependent processes involved in the regulation of, in erythrocytes (Rapoport, T. A., Heinrich, R. & Rapoport, S. M.) 449–469
Glycoproteins, bile, rat and mouse, comparison of, and other components with those of liver bile-canalicular plasma membranes (Evans, W. H., Kremmer, T. & Culvenor, J. G.) 589–595
Glycoproteins, plasma-membrane, neuroblastoma-cell, biosynthesis and turnover of, and proteins (Mathews, R. A., Johnson, T. C. & Hudson, J. E.) 57–64
Glyoxysomes, castor-bean-endosperm, cellular origin of, during germination (Bowden, L. & Lord, J. M.) 501–506
Glyoxysomes, castor-bean-endosperm, similarities in the composition of polypeptides of membranes of, and endoplasmic reticulum (Bowden, L. & Lord, J. M.) 491–499
Golgi apparatus, liver, rat, topographical location and unique nature of a glucokinase associated with (Berthillier, G., Coleman, R. & Walker, D. G.) 193–201
Golgi apparatus, mammary-gland, rat, evidence for the specific transport of uridine diphosphate glucose across the membrane of (Kuhn, N. J. & White, A.) 243–244
Growth hormone, acute effects of the administration of, on the activities of rat liver microsomal mixed-function oxidases (Wilson, J. T. & Spelsberg, T. C.) 433–438
Growth hormone, acute effects of the administration of, on the activity of rat liver nuclear ribonucleic polymerase and on the template capacity of rat liver chromatin (Spelsberg, T. C. & Wilson, J. T.) 439–448
Growth, role of oxygen in the regulation of the rate of, and gene activity in cultured chick-embryo heart cells (Clo', C., Orlandini, G. C., Guarnieri, C. & Caldarera, C. M.) 253–256

Haem oxygenase, microsomal, liver, rat, studies on the mechanism of the induction by cobalt and other metal ions on the induction of the activity of (Maines, M. D. & Kappas, A.) 125–131
Haemoglobin, regulation by steroids related to 5β-androstane of the biosynthesis of, in cultured chick-embryo blastoderms (Irving, R. A., Mainwaring, W. I. P. & Spooner, P. M.) 81–93
Heart cells, chick-embryo, cultured, role of oxygen in the regulation of growth rate and gene activity in (Clo', C., Orlandini, G. C., Guarnieri, C. & Caldarera, C. M.) 253–256
Heart muscle, rat, differentiating, activity of poly(adenosine diphosphate ribose) polymerase and the concentration of oxidized nicotinamide–adenine dinucleotide in (Claycomb, W. C.) 387–393
Heart, ox, structure and subunit composition of the particulate reduced nicotinamide–adenine dinucleotide dehydrogenase of mitochondria from (Ragan, C. I.) 295–305
Heart, rat, perfused, normal and insulin-deficient, effects of heart work and insulin on the incorporation of glucose into hexose phosphates, uridine diphosphate glucose and glycogen in, under working and non-working conditions (Das, I. & Chain, E.) 765–772
Heart, rat, perfused, roles of coenzyme A, acetyl-coenzyme A and reduced and oxidized nicotinamide–adenine dinucleotide in the regulation of the proportions of the dephosphorylated (active) and phosphorylated (inactive) forms of pyruvate dehydrogenase by the oxidation of fatty acids and ketone bodies and the effects of alloxan-diabetes in (Kerbey, A. L., Randle, P. J., Cooper, R. H., Whitehouse, S., Pask, H. T. & Denton, R. M.) 327–348
Heart, rat, respiration-dependent efflux of magnesium ions from mitochondria isolated from (Crompton, M., Capano, M. & Carafoli, E.) 735–742
Heparin, metabolism of, in mouse neoplastic mast cells (Ögren, S. & Lindahl, U.) 605–611
Hepatectomy, partial, metabolism of galactose in rat liver regenerating after (Bauer, C. H., Hassels, B. F. & Reutter, W. G.) 141–147
Hexose phosphates, effects of heart work and insulin on the incorporation of glucose into uridine diphosphate glucose and, in the normal and insulin-deficient perfused rat heart under working and non-working conditions (Das, I. & Chain, E.) 765–772
Histamine, stimulation by noradrenaline, 5-hydroxytryptamine and, of the phosphorylation of proteins in respiring guinea-pig cerebral-cortex slices (Williams, M. & Rodnight, R.) 163–170
Hydrocortisone, *see* Cortisol
Hydrogen ions, antiport of sodium ions and, in brush-border-membrane vesicles isolated from rat small intestine and kidney (Murer, H., Hopfer, U. & Kinne, R.) 597–604
Hydrogen ions, effects of uncoupling agents and of concentration gradients of, on the uptake of glycine by *Saccharomyces carlsbergensis* N.C.Y.C. 74 depleted of adenosine triphosphate (Seaston, A., Carr, G. & Eddy, A. A.) 669–676
3-Hydroxybutyrate, effects of acetoacetate and, on the metabolism of amino acids in isolated rat diaphragm (Palaiologos, G. & Felig, P.) 709–716
3-Hydroxybutyrate, effects of hyperphenylalaninaemia on the biosynthesis of lipids from acetoacetate and, in developing rat brain (Patel, M. S. & Owen, O. E.) 319–325
3-Hydroxybutyrate, influence of adenine nucleotides and, and other oxidizable substrates on the triethyltin-mediated uptake of chloride ions by rat liver mitochondria in media containing potassium chloride (Skilleter, D. N.) 271–276

6α-Hydroxylation, evidence for, of bile acids in man (Summerfield, J. A., Billing, B. H. & Shackleton, C. H. L.) 507–516
3-Hydroxy-3-methyl-coenzyme A reductase, microsomal, liver, rat, role of, in the stimulation by the administration of compounds related to adenosine of the biosynthesis of sterols (Rao, G. S., George, R. & Ramasarma, T.) 639–645
3-Hydroxy-3-methylglutaryl-coenzyme A reductase, activity of, in developing and adult rat brain (Sudjic, M. M. & Booth, R.) 559–560
3-Hydroxy-2,4,5-trihydroxymethylpyridine, conversion of into pyridoxine by the yeast *Kloeckera apiculata* N.C.Y.C. 245 (Scott, T. A. & Picton, C.) 35–41
5-Hydroxytryptamine, stimulation by noradrenaline, histamine and, of the phosphorylation of proteins in respiring guinea-pig cerebral-cortex slices (Williams, M. & Rodnight, R.) 163–170
Hyperphenylalaninaemia, effects of, on the biosynthesis of lipids from ketone bodies in developing rat brain (Patel, M. S. & Owen, O. E.) 319–325

Ileum, guinea-pig, muscarinic cholinergic stimulation of the turnover of phosphatidylinositol in the longitudinal smooth muscle of (Jafferji, S. S. & Michell, R. H.) 653–657
Insulin, actions of nickel and other transition-metal ions similar to those of, in isolated rat epididymal fat-cells (Saggerson, E. D., Sooranna, S. R. & Evans, C. J.) 349–357
Insulin, effects of heart work and, on the incorporation of glucose into hexose phosphates, uridine diphosphate glucose and glycogen in normal and insulin-deficient perfused rat heart under working and non-working conditions (Das, I. & Chain, E.) 765–772
Insulin, effect of *N*-acylglucosamines on the biosynthesis and secretion of, by perifused rat islets of Langerhans (Ashcroft, S. J. H., Crossley, J. R. & Crossley, P. C.) 701–707
Insulin, evidence for decreased inducibility by, of the activity of tyrosine aminotransferase in rabbit placenta as a function of gestational age (Wade, R. S. & Gusseck, D. J.) 245–247
Insulin, interactions of prolactin, cortisol and, in controlling the turnover of fatty acid synthetase in rabbit mammary gland in organ culture (Speake, B. K., Dils, R. & Mayer, R. J.) 359–370
Intestine, small, guinea-pig, muscarinic cholinergic stimulation of the turnover of phosphatidylinositol in the longitudinal smooth muscle of (Jafferji, S. S. & Michell, R. H.) 653–657
Intestine, small, rat, antiport of sodium ions and protons in brush-border-membrane vesicles isolated from, and kidney (Murer, H., Hopfer, U. & Kinne, R.) 597–604
Islets of Langerhans, pancreas, rat, perifused, effect of *N*-acylglucosamines on the biosynthesis and secretion of insulin by (Ashcroft, S. J. H., Crossley, J. R. & Crossley, P. C.) 701–707
Isocitrate dehydrogenases, nicotinamide–adenine dinucleotide-linked and dinucleotide-adenine dinucleotide phosphate-linked, muscle, vertebrate and invertebrate, activities of, and citrate synthase (Alp, P. R., Newsholme, E. A. & Zammit, V. A.) 689–700
Isocitrate dehydrogenases, nicotinamide–adenine dinucleotide-linked, muscle, invertebrate, effects of calcium ions and adenosine diphosphate on the activity of (Zammit, V. A. & Newsholme, E. A.) 677–687

Ketone bodies, effect of hyperphenylalaninaemia on the biosynthesis of lipids from, in developing rat brain (Patel, M. S. & Owen, O. E.) 319–325
Ketone bodies, effe f, on the metabolism of amino acids in isolated rat diaphragm (Palaiologos, G. & Felig, P.) 709–716
Ketone bodies, roles of coenzyme A, acetyl-coenzyme A and reduced and oxidized nicotinamide–adenine dinucleotide in the regulation of the proportions of the dephosphorylated (active) and phosphorylated (inactive) forms of pyruvate dehydrogenase by the oxidation of fatty acids and, and the effects of alloxandiabetes in perfused rat heart (Kerbey, A. L., Randle, P. J., Cooper, R. H., Whitehouse, S., Pask, H. T. & Denton, R. M.) 327–348
Kidney cells, baby-hamster, cultured, variants of, resistant to castor-bean toxin (ricin) (Meager, A., Ungkitchanukit, A. & Hughes, R. C.) 113–124
Kidney cells, baby-hamster, normal and polyoma-virus-transformed, fluidity of the plasma membranes from (Micklem, K. J., Abra, R. M., Knutton, S., Graham, J. M. & Pasternak, C. A.) 561–566
Kidney cortex, rat, subcellular location of renin substrate in granules from (Morris, B. J. & Johnston, C. I.) 625–637
Kidney medulla, rabbit, properties of the prostaglandin synthase system from (Tai, H.-H., Tai, C. L. & Hollander, C. S.) 257–264
Kidney, rat, antiport of sodium ions and protons in brush-border-membrane vesicles isolated from, and small intestine (Murer, H., Hopfer, U. & Kinne, R.) 597–604
Kidney, rat, identification and properties of mineralocorticoid receptors in, in relation to glucocorticoid receptors in rat liver and kidney (Agarwal, M. K.) 567–575
Kidney, rat, regulation of the activity of phenylalanine hydroxylase in, and liver and the maintenance of high concentrations of phenylalanine in plasma during postnatal development (DelValle, J. A. & Greengard, O.) 613–618
Kloeckera apiculata N.C.Y.C. 245, conversion of 3-hydroxy-2,4,5-trihydroxymethylpyridine into pyridoxine by (Scott, T. A. & Picton, C.) 35–41

L-Lactate, transport of, in Ehrlich ascites-tumour cells (Spencer, T. L. & Lehninger, A. L.) 405–414
Lactation, evidence for the specific transport of uridine diphosphate glucose across rat mammary-gland Golgi-apparatus membrane during (Kuhn, N. J. & White, A.) 243–244
Leaves, spinach, localization of the inhibition by adenosine diphosphate of 3-phosphoglycerate-dependent evolution of oxygen in a reconstituted system of chloroplasts from (Slabas, A. R. & Walker, D. A.) 185–192
Lecithin, *see* Phosphatidylcholine
Lectins, variants of cultured baby-hamster kidney cells resistant to (Meager, A., Ungkitchanukit, A. & Hughes, R. C.) 113–124

Lipids, effect of hyperphenylalaninaemia on the biosynthesis of, from ketone bodies in developing rat brain (Patel, M. S. & Owen, O. E.) 319–325
Lipids, insulin-like actions of nickel and other transition-metal ions on the metabolism of, in isolated rat epididymal fat-cells (Saggerson, E. D., Sooranna, S. R. & Evans, C. J.) 349–357
Lipids, pathways for the biosynthesis of, in foetal guinea-pig liver slices (Jones, C. T. & Ashton, I. K.) 149–158
Lipids, pathways for the biosynthesis of, in maternal and foetal guinea-pig liver and adipose tissue *in vivo* (Jones, C. T. & Firmin, W.) 159–161
Lipogenesis, effect of hyperphenylalaninaemia on, from ketone bodies in developing rat brain (Patel, M. S. & Owen, O. E.) 319–325
Lipogenesis, pathways of, in foetal guinea-pig liver slices (Jones, C. T. & Ashton, I. K.) 149–158
Lipogenesis, pathways of, in maternal and foetal guinea-pig liver and adipose tissue *in vivo* (Jones, C. T. & Firmin, W.) 159–161
Liver, chick, biosynthesis of polyamines, ribonucleic acid and *S*-adenosylmethionine in, of normal and oestrogen-treated animals (Eloranta, T. O., Mäenpää, P. H. & Raina, A. M.) 95–103
Liver, guinea-pig, effects of depleting and restoring phospholipids on the activity of microsomal uridine diphosphate glucuronyltransferase from (Berry, C. S., Caldecourt, M. & Hallinan, T.) 783–785
Liver, guinea-pig, foetal, pathways for the biosynthesis of lipids in slices of (Jones, C. T. & Ashton, I. K.) 149–158
Liver, guinea-pig, maternal and foetal, pathways for the biosynthesis of lipids in, and adipose tissue *in vivo* (Jones, C. T. & Firmin, W.) 159–161
Liver, rat, action of *Staphylococcus aureus* and pig lymphocyte phosphatidylinositol-specific phospholipases C on microsomal membranes from (Low, M. G. & Finean, J. B.) 203–208
Liver, rat, acute effects of the administration of growth hormone on the activities of microsomal mixed-function oxidases in (Wilson, J. T. & Spelsberg, T. C.) 433–438
Liver, rat, acute effects of the administration of growth hormone on the activity of nuclear ribonucleic acid polymerase and on the template capacity of nuclear chromatin in (Spelsberg, T. C. & Wilson, J. T.) 439–448
Liver, rat and mouse, role of bile-canalicular plasma membranes from, in the formation of bile (Evans, W. H., Kremmer, T. & Culvenor, J. G.) 589–595
Liver, rat, changes in the activities of enzymes involved in the oxidation of fatty acids in, during development (Foster, P. C. & Bailey, E.) 49–56
Liver, rat, identification and properties of mineralocorticoid receptors in rat kidney in relation to glucocorticoid receptors in, and kidney (Agarwal, M. K.) 567–575
Liver, rat, inactivation of phosphoenolpyruvate carboxykinase (guanosine triphosphate) by extracts of (Ballard, F. J. & Hopgood, M. F.) 717–724
Liver, rat, influence of adenine nucleotides and oxidizable substrates on the triethyltin-mediated uptake of chloride ions by mitochondria from, in media containing potassium chloride (Skilleter, D. N.) 271–276
Liver, rat, interactions of some acceptors with superoxide ion radicals formed by reduced nicotinamide–adenine dinucleotide phosphate–cytochrome reductase in microsomal fractions from (Mishin, V., Pokrovsky, A. & Lyakhovich, V. V.) 307–310
Liver, rat, mouse and hamster, effects of benzo[3,4]pyrene and safrole on the activities of biphenyl 2-hydroxylase and other microsomal drug-metabolizing enzymes of (McPherson, F. J., Bridges, J. W. & Parke, D. V.) 773–780
Liver, rat, nature of the facilitated transport of messenger ribonucleic acid from nuclei isolated from (Yannarell, A., Schumm, D. E. & Webb, T. E.) 379–385
Liver, rat, regenerating, metabolism of galactose in (Bauer, C. H., Hassels, B. F. & Reutter, W. G.) 141–147
Liver, rat, regulation of the activity of carbamoyl phosphate synthase in mitochondria from (McGivan, J. D., Bradford, N. M. & Mendes-Mourão, J.) 415–421
Liver, rat, regulation of the activity of phenylalanine hydroxylase in, and kidney and the maintenance of high concentrations of phenylalanine in plasma during postnatal development (DelValle, J. A. & Greengard, O.) 613–618
Liver, rat, roles of substrate and cortisol in regulating the activity of phenylalanine hydroxylase in (Greengard, O. & DelValle, J. A.) 619–624
Liver, rat, stimulation by the administration of compounds related to adenosine of the biosynthesis of sterols in (Rao, G. S., George, R. & Ramasarma, T.) 639–645
Liver, rat, studies on the mechanism of the induction by cobalt and other metal ions of the induction of the activity of haem oxygenase in the microsomal fraction of (Maines, M. D. & Kappas, A.) 125–131
Liver, rat, subcellular distribution and activity of deoxyinosine-activated nucleotidase in, and other tissues (Tjernshaugen, H. & Fritzson, P.) 77–80
Liver, rat, topographical location and unique nature of a glucokinase associated with the Golgi apparatus of (Berthillier, G., Coleman, R. & Walker, D. G.) 193–201
Luteotrophin, effects of, and other factors on the activity of protein kinase in rat testis interstitial tissue (Cooke, B. A. & van der Kemp, A. J. W. C. M.) 371–378
Lymphocytes, pig, action of phosphatidylinositol-specific phospholipases C from *Staphylococcus aureus* and, on membranes of ox, sheep and cat erythrocytes and of rat liver microsomal fraction (Low, M. G. & Finean, J. B.) 203–208
Lymphocytes, pig, phytohaemagglutin-stimulated, transport of deoxycytidine and the metabolism of pyrimidine deoxyribonucleotides in (Barlow, S. D.) 395–403
Lysophosphatidylcholine, arteriovenous differences in the plasma concentrations of choline, phosphatidylcholine and, across rat and rabbit brain (Spanner, S., Hall, R. C. & Ansell, G. B.) 133–140

Magnesium ions, respiration-dependent efflux of, from rat heart mitochondria (Crompton, M., Capano, M. & Carafoli, E.) 735–742
Mammary gland, rabbit, interactions of insulin, prolactin and cortisol in controlling the turnover of fatty acid synthetase in, in organ culture (Speake, B. K., Dils, R. & Mayer, R. J.) 359–370

Mammary gland, rat, evidence for the specific transport of uridine diphosphate glucose across the membrane of the Golgi apparatus of (Kuhn, N. J. & White, A.) 243–244
Mast cells, neoplastic, mouse, metabolism of heparin in (Ögren, S. & Lindahl, U.) 605–611
Mastocytoma cells, mouse, metabolism of heparin in (Ögren, S. & Lindahl, U.) 605–611
Membrane, *Clostridium pasteurianum* A.T.C.C. 6013, partial purification of a dicyclohexylcarbodi-imide-sensitive adenosine triphosphatase complex from (Clarke, D. J. & Morris, J. G.) 725–729
Membrane, Golgi-apparatus, mammary-gland, rat, evidence for the specific transport of uridine diphosphate glucose across (Kuhn, N. J. & White, A.) 243–244
Membrane, plasma, Ehrlich-ascites-tumour-cell, transport of L-lactate across (Spencer, T. L. & Lehninger, A. L.) 405–414
Membrane, plasma, *Saccharomyces cerevisiae*, glucose-repressed, distribution of fragments of, during zonal centrifugation (Nurminen, T., Taskinen, L. & Suomalainen, H.) 751–763
Membrane vesicles, brush-border, small-intestinal and kidney, rat, antiport of sodium ions and protons in (Murer, H., Hopfer, U. & Kinne, R.) 597–604
Membranes, erythrocyte, ox, sheep and cat, action of *Staphylococcus aureus* and pig lymphocyte phosphatidylinositol-specific phospholipases C on (Low, M. G. & Finean, J. B.) 203–208
Membranes, *Escherichia coli* D10, attachment of folded chromosomes to (Dworksy, P.) 239–241
Membranes, *Escherichia coli*, use of a stopped-flow dual-wavelength spectrophotometer for the kinetic characterization of cytochromes bound to, of organisms grown under a variety of conditions (Haddock, B. A., Downie, J. A. & Garland, P. B.) 285–294
Membranes, glyoxysomal and endoplasmic-reticulum, castor-bean-endosperm, biosynthesis of the proteins of, during germination (Bowden, L. & Lord, J. M.) 501–506
Membranes, glyoxysomal and endoplasmic-reticulum, castor-bean-endosperm, similarities in the composition of polypeptides of (Bowden, L. & Lord, J. M.) 491–499
Membranes, microsomal, liver, rat, action of *Staphylococcus aureus* and pig lymphocyte phosphatidylinositol-specific phospholipases C on (Low, M. G. & Finean, J. B.) 203–208
Membranes, microsomal, liver, rat, inactivation of phosphoenolpyruvate carboxykinase (guanosine triphosphate) by (Ballard, F. J. & Hopgood, M. F.) 717–724
Membranes, plasma, bile-canalicular, liver, rat and mouse, role of, in the formation of bile (Evans, W. H., Kremmer, T. & Culvenor, J. G.) 589–595
Membranes, plasma, fat-cell, epididymal, rat, hormonally sensitive, rapid immunological procedure for the isolation of (Luzio, J. P., Newby, A. C. & Hales, C. N.) 11–21
Membranes, plasma, kidney-cell, baby-hamster, normal and polyoma-virus-transformed, fluidity of (Micklem, K. J., Abra, R. M., Knutton, S., Graham, J. M. & Pasternak, C. A.) 561–566
Membranes, plasma, neuroblastoma-cell, biosynthesis and turnover of proteins and glycoproteins of (Mathews, R. A., Johnson, T. C. & Hudson, J. E.) 57–64
Membranes, relationship of concanavalin A-induced changes of, to cell differentiation in *Dictyostelium discoideum* (Darmon, M. & Klein, C.) 743–750
Membranes, *Saccharomyces cerevisiae*, glucose-repressed, distribution of, during zonal centrifugation (Nurminen, T., Taskinen, L. & Suomalainen, H.) 751–763
Membranes, usefulness of the phosphonium analogue of choline as a nuclear-magnetic-resonance probe for phosphatidylcholine in (Sim, E. & Pasternak, C. A.) 105–111
Messenger ribonucleic acid, *see* Ribonucleic acid, messenger
Metal ions, studies on the mechanism of the induction by, of the activity of rat liver microsomal haem oxygenase (Maines, M. D. & Kappas, A.) 125–131
Methionine, incorporation of, into castor-bean-endosperm glyoxysomal proteins during germination (Bowden, L. & Lord, J. M.) 501–506
N^G-Methylarginine, catabolism of N^G,N'^G-dimethylarginine, N^G,N^G-dimethylarginine and, in the rabbit (McDermott, J. R.) 179–184
Microsomal fraction, kidney-medulla, rabbit, properties of the prostaglandin synthase system from (Tai, H.-H., Tai, C. L. & Hollander, C. S.) 257–264
Microsomal fraction, liver, guinea-pig, effects of depleting and restoring phospholipids on the activity of uridine diphosphate glucuronyltransferase from (Berry, C. S., Caldecourt, M. & Hallinan, T.) 783–785
Microsomal fraction, liver, rat, action of *Staphylococcus aureus* and pig lymphocyte phosphatidylinositol-specific phospholipases C on membranes of (Low, M. G. & Finean, J. B.) 203–208
Microsomal fraction, liver, rat, acute effects of the administration of growth hormone on the activities of mixed-function oxidases in (Wilson, J. T. & Spelsberg, T. C.) 433–438
Microsomal fraction, liver, rat, inactivation of phosphoenolpyruvate carboxykinase (guanosine triphosphate) by (Ballard, F. J. & Hopgood, M. F.) 717–724
Microsomal fraction, liver, rat, mouse and hamster, effects of benzo[3,4]pyrene and safrole on the activities of, and other drug-metabolizing enzymes (McPherson, F. J., Bridges, J. W. & Parke, D. V.) 773–780
Microsomal fraction, liver, rat, studies on the mechanism of the induction by cobalt and other metal ions of the activity of haem oxygenase in (Maines, M. D. & Kappas, A.) 125–131
Microsomal fractions, liver, rat, interactions of some acceptors with superoxide ion radicals formed by reduced nicotinamide–adenine dinucleotide phosphate–cytochrome reductase in (Mishin, V., Pokrovsky, A. & Lyakhovich, V. V.) 307–310
Mineralocorticoid receptors, kidney, rat, identification and properties of, in relation to rat liver and kidney glucocorticoid receptors (Agarwal, M. K.) 567–575
Mitochondria, fat-cell, epididymal, pools of exchangeable and total calcium in, and their role in the regulation of the activity of pyruvate dehydrogenase (Severson, D. L., Denton, R. M., Bridges, B. J. & Randle, P. J.) 209–223
Mitochondria, heart, ox, structure and subunit composition of the particulate reduced nicotinamide–adenine dinucleotide dehydrogenase of (Ragan, C. I.) 295–305

Mitochondria, heart, rat, respiration-dependent efflux of magnesium ions from (Crompton, M., Capano, M. & Carafoli, E.) 735–742
Mitochondria, liver, rat, changes in the activities of enzymes involved in the oxidation of fatty acids in, during development (Foster, P. C. & Bailey, E.) 49–56
Mitochondria, liver, rat, influence of adenine nucleotides and oxidizable substrates on the triethyltin-mediated uptake of chloride ions by, in media containing potassium chloride (Skilleter, D. N.) 271–276
Mitochondria, liver, rat, regulation of the activity of carbamoyl phosphate synthase in (McGivan, J. D., Bradford, M. N. & Mendes-Mourão, J.) 415–421
Mitochondria, synaptosomal, brain, rat, preparation and properties of (Lai, J. C. K. & Clark, J. B.) 423–432
Mixed-function oxidases, *see* Oxidases, mixed-function
Monocarboxylic acids, transport of, in Ehrlich ascites-tumour cells (Spencer, T. L. & Lehninger, A. L.) 405–414
Mosquito (*Aedes egypti*), biosynthesis of deoxyribonucleic acid during the life-span of (Mills, B. J. & Lang, C. A.) 481–490
Mosquito (*Aedes egypti*), characterization of a replication intermediate in the biosynthesis of deoxyribonucleic acid in, during larval and post-larval development (Kao, P. C., Beyer, C. F. & Lang, C. A.) 471–480
Müllerian duct, chick-embryo, developing, translocation of oestrogen-binding protein from the cytoplasm into the nuclei of, after the administration of oestradiol-17β (Teng, C. S. & Teng, C. T.) 1–9
Muscle, diaphragm, rat, formation of alanine from other amino acids in (Goldstein, L. & Newsholme, E. A.) 555–558
Muscle, flight, insect, effects of calcium ions and adenosine diphosphate on the activity of nicotinamide–adenine dinucleotide-linked isocitrate dehydrogenases from whelk radular muscle and (Zammit, V. A. & Newsholme, E. A.) 677–687
Muscle, heart, rat, differentiating, activity of poly(adenosine diphosphate ribose) polymerase and the concentration of oxidized nicotinamide–adenine dinucleotide in (Claycomb, W. C.) 387–393
Muscle, radular, whelk, effects of calcium ions and adenosine diphosphate on the activity of nicotinamide–adenine dinucleotide-linked isocitrate dehydrogenases from insect flight muscle and (Zammit, V. A. & Newsholme, E. A.) 677–687
Muscle, smooth, longitudinal, ileum, guinea-pig, muscarinic cholinergic stimulation of the turnover of phosphatidylinositol in (Jafferji, S. S. & Michell, R. H.) 653–657
Muscle, vertebrate and invertebrate, activities of citrate synthase and nicotinamide–adenine dinucleotide-linked and nicotinamide-adenine dinucleotide phosphate-linked isocitrate dehydrogenases in (Alp, P. R., Newsholme, E. A. & Zammit, V. A.) 689–700
Myelin, brain, rat, developing and adult, accumulation and turnover of the classical Folch–Lees proteolipid proteins in (Agrawal, H. C., Fujimoto, K. & Burton, R. M.) 265–269

Neuroblastoma cells, N2a, cultured, biosynthesis and turnover of plasma-membrane proteins and glycoproteins in (Mathews, R. A., Johnson, T. C. & Hudson, J. E.) 57–64
Nickel ions, insulin-like actions of, and other transition-metal ions in isolated rat epididymal fat-cells (Saggerson, E. D., Sooranna, S. R. & Evans, C. J.) 349–357
Nicotinamide–adenine dinucleotide, oxidized, concentration of, and the activity of poly(adenosine diphosphate ribose) polymerase in differentiating rat heart muscle (Claycomb, W. C.) 387–393
Nicotinamide–adenine dinucleotide phosphate (reduced)–cytochrome reductase, microsomal, liver, rat, interactions of some acceptors with superoxide ion radicals formed by (Mishin, V., Pokrovsky, A. & Lyakhovich, V. V.) 307–310
Nicotinamide–adenine dinucleotide, reduced and oxidized, roles of coenzyme A, acetyl-coenzyme A and, in the regulation of the proportions of the dephosphorylated (active) and phosphorylated (inactive) forms of pyruvate dehydrogenase by the oxidation of fatty acids and ketone bodies and the effects of alloxan-diabetes in perfused rat heart (Kerbey, A. L., Randle, P. J., Cooper, R. H., Whitehouse, S., Pask, H. T. & Denton, R. M.) 327–348
Nicotinamide–adenine dinucleotide (reduced) dehydrogenase, mitochondrial, heart, ox, particulate, structure and subunit composition of (Ragan, C. I.) 295–305
Noradrenaline, evidence for a role for, and adenosine 3′:5′-cyclic monophosphate in the increased phosphorylation of proteins in respiring guinea-pig cerebral-cortex slices observed on the application of electrical pulses (Williams, M. & Rodnight, R.) 163–170
Nuclei, brain, rat, relationships between, and cytoplasm in the metabolism of high-molecular-weight species of ribonucleic acid during postnatal development (Berthold, W. & Lim, L.) 529–539
Nuclei, heart-muscle, rat, isolated, activity of poly(adenosine diphosphate ribose) polymerase in (Claycomb, W. C.) 387–393
Nuclei, liver, rat, acute effects of the administration of growth hormone on the activity of ribonucleic acid polymerase and on the template capacity of chromatin in (Spelsberg, T. C. & Wilson, J. T.) 439–448
Nuclei, liver, rat, isolated, nature of the facilitated transport of messenger ribonucleic acid from (Yannarell, A., Schumm, D. E. & Webb, T. E.) 379–385
Nuclei, Müllerian-duct, chick-embryo, developing, translocation of oestrogen-binding protein into, from the cytoplasm after the administration of oestradiol-17β (Teng, C. S. & Teng, C. T.) 1–9
Nucleotidase, deoxyinosine-activated, subcellular distribution and activity of, in various rat tissues (Tjernshaugen, H. & Fritzson, P.) 77–80

Oestradiol-17β, biosynthesis of polyamines, ribonucleic acid and *S*-adenosylmethionine in liver of normal chicks and of chicks treated with (Eloranta, T. O., Mäenpää, P. H. & Raina, A. M.) 95–103
Oestradiol-17β, effect of vitamin A nutritional status on the growth of chick oviduct primed by (Joshi, P. S., Murthy, S. K. & Ganguly, J.) 249–251
Oestradiol-17β, translocation of oestrogen-binding protein from the cytoplasm into the nuclei of developing chick-embryo Müllerian duct after the administration of (Teng, C. S. & Teng, C. T.) 1–9

Oestrogen-binding protein, translocation of, from the cytoplasm into the nuclei of developing chick-embryo Müllerian duct after the administration of oestradiol-17β (Teng, C. S. & Teng, C. T.) 1–9
Oestrogens, biosynthesis of polyamines, ribonucleic acid and *S*-adenosylmethionine in liver of normal chicks and of chicks treated with (Eloranta, T. O., Mäenpää, P. H. & Raina, A. M.) 95–103
Oestrogens, effect of vitamin A nutritional status on the growth of chick oviduct primed by (Joshi, P. S., Murthy, S. K. & Ganguly, J.) 249–251
Ornithine decarboxylase, activities of *S*-adenosylmethionine decarboxylase and, involved in the biosynthesis of polyamines in *Drosophila melanogaster* larvae (Byus, C. V. & Herbst, E. J.) 31–33
Oviduct, chick, effect of vitamin A nutritional status on the oestrogen-primed growth of (Joshi, P. S., Murthy, S. K. & Ganguly, J.) 249–251
Oxidases, mixed-function, microsomal, liver, rat, acute effects of the administration of growth hormone on the activities of (Wilson, J. T. & Spelsberg, T. C.) 433–438
Oxidative phosphorylation, *see* Phosphorylation, oxidative
2-Oxogluconate, regulation of the transport of glucose, gluconate and, and of the catabolism of glucose in *Pseudomonas aeruginosa* (Whiting, P. H., Midgley, M. & Dawes, E. A.) 659–668
Oxygen, localization of the inhibition by adenosine diphosphate of 3-phosphoglycerate-dependent evolution of, in a reconstituted system of spinach-leaf chloroplasts (Slabas, A. R. & Walker, D. A.) 185–192
Oxygen, role of, in the regulation of growth rate and gene activity in cultured chick-embryo heart cells (Clo', C., Orlandini, G. C., Guarnieri, C. & Caldarera, C. M.) 253–256

Pancreas, rat, effect of *N*-acylglucosamines on the biosynthesis and secretion of insulin by perifused islets of Langerhans from (Ashcroft, S. J. H., Crossley, J. R. & Crossley, P. C.) 701–707
Phenylalanine hydroxylase, liver and kidney, rat, regulation of the activity of, and the maintenance of high concentrations of phenylalanine in plasma during postnatal development (DelValle, J. A. & Greengard, O.) 613–618
Phenylalanine hydroxylase, liver, rat, roles of substrate and cortisol in regulating the activity of (Greengard, O. & DelValle, J. A.) 619–624
Phenylalanine, plasma, rat, regulation of liver and kidney phenylalanine hydroxylase activity and the maintenance of high concentrations of, during postnatal development (DelValle, J. A. & Greengard, O.) 613–618
Phenylalanine, roles of cortisol and, in regulating the activity of rat liver phenylalanine hydroxylase (Greengard, O. & DelValle, J. A.) 619–624
Phenylketonuria, effects of hyperphenylalaninaemia on the biosynthesis of lipids from ketone bodies in developing rat brain and their relevance to the condition of (Patel, M. S. & Owen, O. E.) 319–325
Phenylketonuria, regulation of the activity of rat liver and kidney phenylalanine hydroxylase and the maintenance of high concentrations of phenylalanine in plasma during postnatal development, and its relevance to the study of (DelValle, J. A. & Greengard, O.) 613–618
Phosphatidylcholine, arteriovenous differences in the plasma concentrations of choline, lysophosphatidylcholine and, across rat and rabbit brain (Spanner, S., Hall, R. C. & Ansell, G. B.) 133–140
Phosphatidylcholine, usefulness of the phosphonium analogue of choline as a nuclear-magnetic-resonance probe for, in membranes (Sim, E. & Pasternak, C. A.) 105–111
Phosphatidylinositol, action of *Staphylococcus aureus* and pig lymphocyte phospholipases C specific for, on membranes of ox, sheep and cat erythrocytes and of rat liver microsomal fraction (Low, M. G. & Finean, J. B.) 203–208
Phosphatidylinositol, muscarinic cholingeric stimulation of the turnover of, in guinea-pig ileum longitudinal smooth muscle (Jafferji, S. S. & Michell, R. H.) 653–657
Phosphoenolpyruvate carboxykinase (guanosine triphosphate), inactivation of, by rat liver extracts (Ballard, F. J. & Hopgood, M. F.) 717–724
3-Phosphoglycerate, localization of the inhibition by adenosine diphosphate of the evolution of oxygen dependent on, in a reconstituted system of spinach-leaf chloroplasts (Slabas, A. R. & Walker, D. A.) 185–192
Phospholipases C, phosphatidylinositol-specific, action of, from *Staphylococcus aureus* and pig lymphocytes on membranes of ox, sheep and cat erythrocytes and of rat liver microsomal fraction (Low, M. G. & Finean, J. B.) 203–208
Phospholipids, content of cholesterol and, in plasma membranes from normal and polyoma-virus-transformed baby-hamster kidney cells (Micklem, K. J., Abra, R. M., Knutton, S., Graham, J. M. & Pasternak, C. A.) 561–566
Phospholipids, effects of depleting and restoring, on the activity of guinea-pig liver microsomal uridine diphosphate glucuronyltransferase (Berry, C. S., Caldecourt, M. & Hallinan, T.) 783–785
Phospholipids, incorporation of fatty acids and of derivatives of glucose into, of subsynaptosomal fractions of guinea-pig cerebral cortex (Baker, R. R., Dowdall, M. J. & Whittaker, V. P.) 65–75
Phosphorylation, oxidative, effects of proton gradients and of agents uncoupling, on the uptake of glycine by *Saccharomyces carlsbergensis* N.C.Y.C. 74 depleted of adenosine triphosphate (Seaston, A., Carr, G. & Eddy, A. A.) 669–676
Photosynthesis, localization of the inhibition by adenosine diphosphate of, by a reconstituted system of spinach-leaf chloroplasts (Slabas, A. R. & Walker, D. A.) 185–192
Phytohaemagglutinin, transport of deoxycytidine and the metabolism of pyrimidine deoxyribonucleotides in pig lymphocytes stimulated by (Barlow, S. D.) 395–403
Placenta, rabbit, evidence for decreased inducibility by insulin or cortisol of the activity of tyrosine aminotransferase in, as a function of gestational age (Wade, R. S. & Gusseck, D. J.) 245–247
Plasma membrane, *see* Membrane, plasma
Plasma, rat and rabbit, arteriovenous differences in the concentrations of choline, phosphatidylcholine and lysophosphatidylcholine in, across the brain (Spanner, S., Hall, R. C. & Ansell, G. B.) 133–140

Plasma, rat, concentrations of N^G-methylarginine, N^G, N'^G-dimethylarginine and N^G,N^G-dimethylarginine in, and other tissues (McDermott, J. R.) 179–184

Plasma, rat, regulation of the activity of liver and kidney phenylalanine hydroxylase activity and the maintenance of high concentrations of phenylalanine in, during postnatal development (DelValle, J. A. & Greengard, O.) 613–618

Poly(adenosine diphosphate ribose) polymerase, activity of, and the concentration of oxidized nicotinamide–adenine dinucleotide in differentiating rat heart muscle (Claycomb, W. C.) 387–393

Polyamines, activities of ornithine decarboxylase and *S*-adenosylmethionine decarboxylase involved in the biosynthesis of, in *Drosophila melanogaster* larvae (Byus, C. V. & Herbst, E. J.) 31–33

Polyamines, biosynthesis of *S*-adenosylmethionine, ribonucleic acid and, in liver of normal and oestrogen-treated chicks (Eloranta, T. O., Mäenpää, P. H. & Raina, A. M.) 95–103

Polyamines, effects of, on the biosynthesis of ribonucleic acid in *Drosophila melanogaster* larvae (Byus, C. V. & Herbst, E. J.) 23–29

Polyamines, role of oxygen in the regulation of the concentration of, in cultured chick-embryo heart cells (Clo', C., Orlandini, G. C., Guarnieri, C. & Caldarera, C. M.) 253–256

Polyoma virus, fluidity of the plasma membranes of normal baby-hamster kidney cells and of those transformed by (Micklem, K. J., Abra, R. M., Knutton, S., Graham, J. M. & Pasternak, C. A.) 561–566

Polypeptides, membrane, glyoxysomal and endoplasmic-reticulum, castor-bean-endosperm, similarities in the composition of (Bowden, L. & Lord, J. M.) 491–499

Potassium chloride, influence of adenine nucleotides and oxidizable substrates on the triethyltin-mediated uptake of chloride ions by rat liver mitochondria in media containing (Skilleter, D. N.) 271–276

Pregnancy, interactions of insulin, prolactin and cortisol in controlling the turnover of fatty acid synthetase in rabbit mammary gland during (Speake, B. K., Dils, R. & Mayer, R. J.) 359–370

Prolactin, interactions of insulin, cortisol and, in controlling the turnover of fatty acid synthetase in rabbit mammary gland in organ culture (Speake, B. K., Dils, R. & Mayer, R. J.) 359–370

Proline, coupling of energy to the active transport of glutamine and, in anaerobically grown mutants of *Escherichia coli* K12 (Gutowski, S. J. & Rosenberg, H.) 731–734

Prostaglandin synthase system, kidney-medulla, rabbit, properties of (Tai, H.-H., Tai, C. L. & Hollander, C. S.) 257–264

Prostaglandins, biosynthesis of, properties of the rabbit kidney-medulla prostaglandin synthase system catalysing (Tai, H.-H., Tai, C. L. & Hollander, C. S.) 257–264

Protein, effects of ketone bodies on the catabolism of, in isolated rat diaphragm (Palaiologos, G. & Felig, P.) 709–716

Protein, inhibition by trichodermin of the biosynthesis of, in rabbit reticulocyte lysates (Carter, C. J., Cannon, M. & Smith, K. E.) 171–178

Protein kinase, effects of luteotrophin and other factors on the activity of, in rat testis interstitial tissue (Cooke, B. A. & van der Kemp, A. J. W. C. M.) 371–378

Protein, oestrogen-binding, translocation of, from the cytoplasm into the nuclei of developing chick-embryo Müllerian duct after the administration of oestradiol-17β (Teng, C. S. & Teng, C. T.) 1–9

Protein, regulation of the activity of rat liver mitochondrial carbamoyl phosphate synthase by the dietary content of (McGivan, J. D., Bradford, N. M. & Mendes-Mourão, J.) 415–421

Proteins, bile, rat and mouse, comparison of, and other components with those of liver bile-canalicular plasma membranes (Evans, W. H., Kremmer, T. & Culvenor, J. G.) 589–595

Proteins, cytoplasmic, liver, rat, properties of, involved in the facilitated transport of messenger ribonucleic acid from rat liver nuclei (Yannarell, A., Schumm, D. E. & Webb, T. E.) 379–385

Proteins, evidence for a role for noradrenaline and adenosine 3′:5′-cyclic monophosphate in the increased phosphorylation of, in respiring guinea-pig cerebral-cortex slices observed on the application of electrical pulses (Williams, M. & Rodnight, R.) 163–170

Proteins, glyoxysomal, castor-bean-endosperm, cellular origin of, during germination (Bowden, L. & Lord, J. M.) 501–506

Proteins, plasma-membrane, neuroblastoma-cell, biosynthesis and turnover of, and glycoproteins (Mathews, R. A., Johnson, T. C. & Hudson, J. E.) 57–64

Proteins, proteolipid, Folch–Lees, accumulation and turnover of, in developing and adult rat brain (Agrawal, H. C., Fujimoto, K. & Burton, R. M.) 265–269

Proteins, ribosomal, turnover of, as a control of the maturation of ribosomes in *Escherichia coli* undergoing step-down (Midgley, J. E. M.) 541–552

Proteolipid proteins, Folch–Lees, accumulation and turnover of, in developing and adult rat brain (Agrawal, H. C., Fujimoto, K. & Burton, R. M.) 265–269

Protons, antiport of sodium ions and, in brush-border-membrane vesicles isolated from rat small intestine and kidney (Murer, H., Hopfer, U. Kinne, R.) 597–604

Protons, effects of uncoupling agents and of concentration gradients of, on the uptake of glycine by *Saccharomyces carlsbergensis* N.C.Y.C. 74 depleted of adenosine triphosphate (Seaston, A., Carr, G. & Eddy, A. A.) 669–676

Pseudomonas aeruginosa, regulation of the transport of glucose, gluconate and 2-oxogluconate and of the catabolism of glucose in (Whiting, P. H., Midgley, M. & Dawes, E. A.) 659–668

Pyridoxine, conversion of 3-hydroxy-2,4,5-trihydroxymethylpyridine into, by the yeast *Kloeckera apiculata* N.C.Y.C. 245 (Scott, T. A. & Picton, C.) 35–41

Pyrimidine deoxyribonucleotides, transport of deoxycytidine and the metabolism of, in phytohaemagglutinin-stimulated pig lymphocytes (Barlow, S. D.) 395–403

Pyruvate, conversion of amino acids into alanine via, in rat diaphragm muscle (Goldstein, L & Newsholme, E. A.) 555–558

Pyruvate dehydrogenase, adipose-tissue, epididymal, rat, effects of starvation, alloxan-diabetes and high-fat diet on the regulation of the activities of, and pyruvate dehydrogenase phosphate phosphatase (Stansbie, D., Denton, R. M., Bridges, B. J., Pask, H. T. & Randle, P. J.) 225–236

Pyruvate dehydrogenase, mitochondrial, adipose-tissue, epididymal, rat, role of pools of exchangeable and total calcium in the regulation of the activity of (Severson, D. L., Denton, R. M., Bridges, B. J. & Randle, P. J.) 209–223

Pyruvate dehydrogenase phosphate phosphatase, adipose-tissue, epididymal, rat, effects of starvation, alloxan-diabetes and high-fat diet on the regulation of the activities of, and pyruvate dehydrogenase (Stansbie, D., Denton, R. M., Bridges, B. J., Pask, H. T. & Randle, P. J.) 225–236

Pyruvate dehydrogenase, roles of coenzyme A, acetylcoenzyme A and reduced and oxidized nicotinamide–adenine dinucleotide in the regulation of the proportions of the dephosphorylated (active) and phosphorylated (inactive) forms of, by the oxidation of fatty acids and ketone bodies and the effects of alloxan-diabetes in perfused rat heart (Kerbey, A. L., Randle, P. J., Cooper, R. H., Whitehouse, S., Pask, H. T. & Denton, R. M.) 327–348

Pyruvate, influence of adenine nucleotides and, and other oxidizable substrates on the triethyltin-mediated uptake of chloride ions by rat liver mitochondria in media containing potassium chloride (Skilleter, D. N.) 271–276

Red blood cells, *see* Erythrocytes

Renin substrate, kidney-cortex, rat, subcellular location of, in granules (Morris, B. J. & Johnston, C. I.) 625–637

Respiration, energy-linked, dependence on, of the efflux of magnesium ions from rat heart mitochondria (Crompton, M., Capano, M. & Carafoli, E.) 735–742

Respiratory chains, stopped-flow dual-wavelength spectrophotometer suitable for the study of (Garland, P. B., Littleford, S. J. & Haddock, B. A.) 277–284

Reticulocytes, rabbit, inhibition by trichodermin of the biosynthesis of protein in lysates of (Carter, C. J., Cannon, M. & Smith, K. E.) 171–178

Reticulum, endoplasmic, castor-bean-endosperm, role of, in the biosynthesis of glyoxysomal proteins during germination (Bowden, L. & Lord, J. M.) 501–506

Reticulum, endoplasmic, castor-bean-endosperm, similarities in the composition of polypeptides of membranes of, and glyoxysomes (Bowden, L. & Lord, J. M.) 491–499

Retinyl acetate, effect of supplementation with, on the oestrogen-primed growth of chick oviduct during vitamin A deficiency (Joshi, P. S., Murthy, S. K. & Ganguly, J.) 249–251

Ribonucleic acid, biosynthesis of polyamines, *S*-adenosylmethionine and, in liver of normal and oestrogen-treated chicks (Eloranta, T. O., Mäenpää, P. H. & Raina, A. M.) 95–103

Ribonucleic acid, effects of polyamines on the biosynthesis of, in *Drosophila melanogaster* larvae (Byus, C. V. & Herbst, E. J.) 23–29

Ribonucleic acid, messenger, metabolism of, and other ribonucleic acid species in developing rat brain (Berthold, W. & Lim, L.) 517–527

Ribonucleic acid, messenger, nature of the facilitated transport of, from isolated rat liver nuclei (Yannarell, A., Schumm, D. E. & Webb, T. E.) 379–385

Ribonucleic acid, messenger, relationships between nuclei and cytoplasm in the metabolism of, and other ribonucleic acid species in developing rat brain (Berthold, W. & Lim, L.) 529–539

Ribonucleic acid polymerase, nuclear, liver, rat, acute effects of the administration of growth hormone on the template capacity of rat liver chromatin and on the activity of (Spelsberg, T. C. & Wilson, J. T.) 439–448

Ribonucleic acid, ribosomal, metabolism of, and other ribonucleic acid species in developing rat brain (Berthold, W. & Lim, L.) 517–527

Ribonucleic acid, ribosomal, relationships between nuclei and cytoplasm in the metabolism of, and other ribonucleic acid species in developing rat brain (Berthold, W. & Lim, L.) 529–539

Ribonucleic acids, high-molecular-weight, metabolism of, in developing rat brain (Berthold, W. & Lim, L.) 517–527

Ribonucleic acids, high-molecular-weight, relationships between nuclei and cytoplasm in the metabolism of, in developing rat brain (Berthold, W. & Lim, L.) 529–359

Ribonucleic acids, turnover as a control of the accumulation of, in *Escherichia coli* undergoing stepdown (Midgley, J. E. M.) 541–552

Ribonucleoprotein particles, 47S, accumulation of, as an unusual precursor of 50S ribosomes in a mutant strain of *Escherichia coli* (Markey, F. & Wild, D. G.) 311–318

Ribosomal ribonucleic acid, *see* Ribonucleic acid, ribosomal

Ribosomes, 50S, accumulation of 47S ribonucleoprotein particles as an unusual precursor of, in a mutant strain of *Escherichia coli* (Markey, F. & Wild, D. G.) 311–318

Ribosomes, maturation of, in *Escherichia coli* undergoing stepdown (Midgley, J. E. M.) 541–552

Ricin, variants of cultured baby-hamster kidney cells resistant to (Meager, A., Ungkitchanukit, A. & Hughes, R. C.) 113–124

Ricinus communis, *see* Bean, castor

Saccharomyces carlsbergensis N.C.Y.C. 74, effects of proton gradients and uncoupling agents on the uptake of glycine by, depleted of adenosine triphosphate (Seaston, A., Carr, G. & Eddy, A. A.) 669–676

Saccharomyces cerevisiae, glucose-repressed, distribution of membranes, especially of fragments of plasma membrane, during zonal centrifugation of homogenates from (Nurminen, T., Taskinen, L. & Soumalainen, H.) 751–763

Saccharomyces cerevisiae, stopped-flow dual-wavelength spectrophotometer suitable for the study of the oxidation of cytochrome *c* in, and other respiratory-chain systems (Garland, P. B., Littleford, S. J. & Haddock, B. A.) 277–284

Safrole, effects of benzo[3,4]pyrene and, on the activities of rat, mouse and hamster liver microsomal biphenyl 2-hydroxylase and other drug-metabolizing enzymes (McPherson, F. J., Bridges, J. W. & Parke, D. V.) 773–780
Seedlings, castor-bean, development and properties of fructose 1,6-diphosphatase in the endosperm of (Youle, R. J. & Huang, A. H. C.) 647–652
Serotonin, *see* 5-Hydroxytryptamine
Serum, identification of bile acids in, and urine in man during cholestasis (Summerfield, J. A., Billing, B. H. & Shackleton, C. H. L.) 507–516
Slime mould (*Dictyostelium discoideum*), binding of concanavalin A and its effect on the differentiation of (Darmon, M. & Klein, C.) 743–750
Small intestine, *see* Intestine, small
Smooth muscle, *see* Muscle, smooth
Sodium ions, antiport of protons and, in brush-border-membrane vesicles isolated from rat small intestine and kidney (Murer, H., Hopfer, U. & Kinne, R.) 597–604
Somatotrophin, *see* Growth hormone
Spermidine, biosynthesis of *S*-adenosylmethionine, ribonucleic acid and, and other polyamines in liver of normal and oestrogen-treated chicks (Eloranta, T. O., Mäenpää, P. H. & Raina, A. M.) 95–103
Spermidine, effects of, and other polyamines on the biosynthesis of ribonucleic acid in *Drosophila melanogaster* larvae (Byus, C. V. & Herbst, E. J.) 23–29
Spermine, biosynthesis of *S*-adenosylmethionine, ribonucleic acid and, and other polyamines in liver of normal and oestrogen-treated chicks (Eloranta, T. O., Mäenpää, P. H. & Raina, A. M.) 95–103
Spinach (*Spinacia oleracea*) leaves, localization of the inhibition by adensoine diphosphate of 3-phosphoglycerate-dependent evolution of oxygen in a reconstituted system of chloroplasts from (Slabas, A. R. & Walker, D. A.) 185–192
Spinacia oleracea, *see* Spinach
Spleen, rat, subcellular distribution and activity of deoxyinosine-activated nucleotidase in, and other tissues (Tjernshaugen, H. & Fritzson, P.) 77–80
Staphylococcus aureus, action of phosphatidylinositol-specific phospholipases C from pig lymphocytes and, on membranes of ox, sheep and cat erythrocytes and of rat liver microsomal fraction (Low, M. G. & Finean, J. B.) 203–208
Starvation, effects of alloxan-diabetes, high-fat diet and, on the regulation of the activities of pyruvate dehydrogenase and pyruvate dehydrogenase phosphate phosphatase in rat epididymal fat-pads (Stansbie, D., Denton, R. M., Bridges, B. J., Pask, H. T. & Randle, P. J.) 225–236
Steroids, mineralocorticoid, identification and properties of rat kidney receptors for, in relation to rat liver and kidney glucocorticoid receptors (Agarwal, M. K.) 567–575
Steroids, regulation by, related to 5β-androstane of the biosynthesis of haemoglobin in cultured chick-embryo blastoderms (Irving, R. A., Mainwaring, W. I. P. & Spooner, P. M.) 81–93
Sterols, stimulation by the administration of compounds related to adenosine of the biosynthesis of, in rat liver (Rao, G. S., George, R. & Ramasarma, T.) 639–645
Succinate, influence of adenine nucleotides and, and other oxidizable substrates on the triethyltin-mediated uptake of chloride ions by rat liver mitochondria in media containing potassium chloride (Skilleter, D. N.) 271–276
Supernatant fraction, *see* Cytosol
Superoxide ion radicals, interactions of some acceptors with, formed by reduced nicotinamide–adenine dinucleotide phosphate–cytochrome reductase in rat liver microsomal fractions (Mishin, V., Pokrovsky, A. & Lyakhovich, V. V.) 307–310
Synaptosomes, brain, rat, preparation and properties of mitochondria from (Lai, J. C. K. & Clark, J. B.) 423–432
Synaptosomes, cerebral-cortex, guinea-pig, incorporation of fatty acids and of derivatives of glucose into the phospholipids of subsynaptosomal fractions of (Baker, R. R., Dowdall, M. J. & Whittaker, V. P.) 65–75

Testis, rat, effects of luteotrophin and other factors on the activity of protein kinase in interstitial tissue of (Cooke, B. A. & van der Kemp, A. J. W. C. M.) 371–378
Thymidine, incorporation of, into deoxyribonucleic acid during the life-span of the mosquito (Mills, B. J. & Lang, C. A.) 481–490
Thymidine monophosphate, transport of deoxycytidine and the metabolism of deoxycytidine monophosphate and, in phytohaemagglutinin-stimulated pig lymphocytes (Barlow, S. D.) 395–403
Toxins, fungal, inhibition by, of the biosynthesis of protein in rabbit reticulocyte lysates (Carter, C. J., Cannon, M. & Smith, K. E.) 171–178
Tricarboxylic acid cycle, activities of citrate synthase and nicotinamide–adenine dinucleotide-linked and nicotinamide–adenine dinucleotide phosphate-linked isocitrate dehydrogenases of, in vertebrate and invertebrate muscle (Alp, P. R., Newsholme, E. A. & Zammit, V. A.) 689–700
Tricarboxylic acid cycle, activities of enzymes involved in, in rat brain synaptosomal mitochondria (Lai, J. C. K. & Clark, J. B.) 423–432
Tricarboxylic acid cycle, role of nicotinamide–adenine dinucleotide-linked dehydrogenase in the regulation by calcium ions and adenosine diphosphate of, in whelk radular muscle and insect flight muscle (Zammit, V. A. & Newsholme, E. A.) 677–687
Trichodermin, inhibition by, of the biosynthesis of protein in rabbit reticulocyte lysates (Carter, C. J., Cannon, M. & Smith, K. E.) 171–178
Triethyltin, influence of adenine nucleotides and oxidizable substrates on the mediation by, of the uptake of chloride ions by rat liver mitochondria in media containing potassium chloride (Skilleter, D. N.) 271–276
Tryptophan, incorporation of, into the classical Folch–Lees proteolipid proteins in developing and adult rat brain (Agrawal, H. C., Fujimoto, K. & Burton, R. M.) 265–269
Tumour cells, Ehrlich, transport of L-lactate in (Spencer, T. L. & Lehninger, A. L.) 405–414
Tyrosine aminotransferase, placental, rabbit, evidence for decreased inducibility by insulin or cortisol of the activity of, as a function of gestational age (Wade, R. S. & Gusseck, D. J.) 245–247

Ubiquinone reductase, *see* Nicotinamide-adenine dinucleotide (reduced) dehydrogenase
Urea, role of mitochondrial carbamoyl phosphate synthase in the control of the biosynthesis of, in rat liver (McGivan, J. D., Bradford, N. M. & Mendes-Mourão, J.) 415–421
Uridine diphosphate galactose, concentrations of uridine diphosphate glucose and, in regenerating rat liver (Bauer, C. H., Hassels, B. F. & Reutter, W. G.) 141–147
Uridine diphosphate glucose, concentrations of uridine diphosphate galactose and, in regenerating rat liver (Bauer, C. H., Hassels, B. F. & Reutter, W. G.) 141–147
Uridine diphosphate glucose, effects of heart work and insulin on the incorporation of glucose into hexose phosphates, glycogen and, in the normal and insulin-deficient perfused rat heart under working and non-working conditions (Das, I. & Chain, E.) 765–772
Uridine diphosphate glucose, evidence for the specific transport of, across rat mammary-gland Golgi-apparatus membrane (Kuhn, N. J. & White, A.) 243–244
Uridine diphosphate glucose, topographical location and unique nature of a glucokinase associated with rat liver Golgi apparatus and its relevance to the biosynthesis of (Berthillier, G., Coleman, R. & Walker, D. G.) 193–201
Uridine diphosphate glucuronyltransferase, microsomal, liver, guinea-pig, effects of depleting and restoring phospholipids on the activity of (Berry, C. S., Caldecourt, M. & Hallinan, T.) 783–785
Uridine, effects of polyamines on the incorporation of, into ribonucleic acid in *Drosophila melanogaster* larvae (Byus, C. V. & Herbst, E. J.) 23–29
Urine, excretion of N^G-methylarginine, N^G, N'^G-dimethylarginine and N^G,N^G-dimethylarginine in, in the rabbit (McDermott, J. R.) 179–184
Urine, identification of bile acids in, and serum in man during cholestasis (Summerfield, J. A., Billing, B. H. & Shackleton, C. H. L.) 507–516

Valine, inhibition by trichodermin of the incorporation of, into protein in rabbit reticulocyte lysates (Carter, C. J., Cannon, M. & Smith, K. E.) 171–178
Virus, polyoma, *see* Polyoma virus
Vitamin A, effect of the nutritional status of, on the oestrogen-primed growth of chick oviduct (Joshi, P. S., Murthy, S. K. & Ganguly, J.) 249–251

Whelk (*Buccinum undatum*), effects of calcium ions and adenosine diphosphate on the activity of nicotinamide-adenine dinucleotide-linked isocitrate dehydrogenases from insect flight muscle and (Zammit, V. A. & Newsholme, E. A.) 677–687

Yeast (*Kloeckera apiculata* N.C.Y.C. 245), conversion of 3-hydroxy-2,4,5-trihydroxymethylpyridine into pyridoxine by (Scott, T. A. & Picton, C.) 35–41
Yeast (*Saccharomyces carlsbergensis* N. C.Y.C. 74), effects of proton gradients and uncoupling agents on the uptake of glycine by, depleted of adenosine triphosphate (Seaston, A., Carr, G. & Eddy, A. A.) 669–676
Yeast (*Saccharomyces cerevisiae*), glucose-repressed, distribution of membranes, especially of fragments of plasma membrane, during zonal centrifugation of homogenates of (Nurminen, T., Taskinen, L. & Suomalainen, H.) 751–763
Yeast (*Saccharomyces cerevisiae*), stopped-flow dual-wavelength spectrophotometer suitable for the study of the oxidation of cytochrome *c* in, and other respiratory-chain systems (Garland, P. B., Littleford, S. J. & Haddock, B. A.) 277–284